



DANA CORPORATION
FREDERICKTOWN, OHIO

2000-5

AMERICAN YARD PRODUCTS 131964

DANA CORPORATIONSERVICE PARTS REPLACEMENT LISTINGMODEL NO.: 2000-5DATE: 9-16-91DESCRIPTION: FOUR SPEED LINEAR SHIFT TRANSAXLECUSTOMER & PART NO.: AMERICAN YARD PRODUCTS - #131964

<u>KEY</u> <u>NO.</u>	<u>DANA</u> <u>PART NO.</u>	<u>A.Y.P.</u> <u>PART NO.</u>	<u>NO.</u> <u>REQ'D.</u>	<u>DESCRIPTION</u>
1	5151		1	Housing, Upper
2	1919	2274J	13	Screw, Tapping, 1/4-20 x .734 Lg.
3	5112		2	Ball, Detent
4	5185		2	Spring, Detent
5	5184		1	Cover, Detent
6	3035	6731J	2	Screw, Tapping, #8-32 x .50 Lg.
7	1099	2267J	1	Ring, Retaining
8	4689		1	Ass'y., Kit, Shim, .625 Shaft
9	3876	120415X	1	Washer, Plain, .632 x 1.38 x .046
10	1374	2257J	1	Key, Woodruff, #9
11	4687		1	Ass'y., Kit, Input Shaft
12	3936		1	Pinion, Bevel, 13T.
13	3956		1	Ring, Retaining
14	4623		1	Ass'y., Shifter
15	5196		1	Seal
16	4690		1	Ass'y., Kit, Shim, .500 Shaft
17	3631	105913X	1	Collar, Clutch
18	4688		1	Ass'y., Kit, Clutch Keys
19	5165		1	Shaft, Drive
20	3627	105916X	1	Ring, Retaining
21	5155		1	Gear, Spur, 20T.
22	5154		1	Gear, Spur, 32T.
23	5242		1	Spacer, 1.130 x 1.330 x .840
24	5152		1	Gear, Spur, 24T.
25	5149		1	Gear, Spur, 20T.
26	5241		1	Coupling, Gear
27	5156		1	Gear, Bevel, 39T. & Spur, 15T.
28	5201		1	Washer, Plain, 1.135 x 1.56 x .062
29	5183		1	Bearing, Flange
30	5180		1	Gear, Spur, 10T.
31	5182		1	Bearing, Flange
32	5258		1	Seal
33	3887	120464X	1	Washer, Plain, .505 x .942 x .015
34	5191		1	Ring, Retaining
35	4693		1	Ass'y., Kit, Shim, Cone Brake
36	5225		1	Bearing, Thrust
37	5186		1	Lever, Actuating, Push
38	5262		3	Ball, Thrust
39	4697		1	Ass'y., Kit, Shoe, Brake

Model #2000-5

Page 2

<u>KEY</u> <u>NO.</u>	<u>DANA</u> <u>PART NO.</u>	<u>A.Y.P.</u> <u>PART NO.</u>	<u>NO.</u> <u>REQ'D.</u>	<u>DESCRIPTION</u>
40	4696		1	Ass'y., Kit, Spring, Disc
41	5189		1	Drum, Brake
42	4692		1	Ass'y., Kit, Shim, .464 Shaft
43	5251		1	Klip Ring
44	5130		2	Washer, Neoprene
45	3180	2263J	1	Washer, Plain, .758 x 1.25 x .062
46	5160		1	Gear, Spur, 12T.
47	5243		1	Spacer, 1.710 x 1.910 x .750
48	3983		1	Gear, Spur, 20T.
49	5163		1	Gear, Spur, 24T.
50	5024		1	Boot, Shifter
51	5161		1	Gear, Spur, 29T.
52	3955		1	Washer, Plain, .758 x 1.88 x .062
53	5170		1	Axle, L.H.
54	3184	2264J	2	Washer, Plain, .758 X 1.25 X .031
55	3780	110081X	2	Gear, Miter, 15T.
56	3656	105941X	2	Ring, Retaining
57	5181		1	Gear, Spur, 41T.
58	3919	120952X	1	Shaft, Cross
59	3781	110082X	2	Gear, Miter, 15T.
60	4691		1	Ass'y., Kit, Shim, .750 Shaft
61	5171		1	Axle, R.H.
62	5150		1	Housing, Lower
63	3396	2274J	1	Screw, Tapping, 1/4-20 x .875 Lg.
64	3987		1	Shaft, Idler
65	3888	120465X	1	Washer, Plain, .505 x .942 x .020
66	4492		1	Ass'y., Gear, Spur, 10T.
67	4300	120416X	1	Grease

* Use in various combinations to maintain proper clearances.

** Order Key Number 11.

*** Key Number 39 Includes Brake Shoe and Key Number 40.