



MODEL 4150

5 Speed Transaxle

4150-18

4150-24

4150-44

4150-52

KEY NO.	FOOTE PART NO.	NO. REQ'D.	DESCRIPTION	TRANSMISSION MODELS PARTS USED ON	KEY NO.	FOOTE PART NO.	NO. REQ'D.	DESCRIPTION	TRANSMISSION MODELS PARTS USED ON
1	3655-B	1	Housing, Upper	All Models	38	3693	*	Washer, Plain,	All Models
2	1360	6	Screw, Tapping,	All Models	38	3653	*	.758x1.12x.020	All Models
3	3396	8	Screw, Tapping,	All Models	38	3408	*	.758x1.12x.025	All Models
4	1151	2	Ball, Detent	All Models	38	3732	*	Washer, Plain,	All Models
5	3626	2	Spring, Detent	All Models	38	3184	*	.758x1.25x.020	All Models
6	3623	2	Screw, Set	All Models	38	3733	*	Washer, Plain,	All Models
7	1099	1	Ring, Retaining	All Models	38	3198	*	.758x1.25x.025	All Models
8	1441	*	Washer, Plain,	All Models	38	3734	*	Washer, Plain,	All Models
8	1423	*	.632x1.00x.020	All Models	38	3735	*	.758x1.25x.031	All Models
8	1082	*	Washer, Plain,	All Models	38	3736	*	.758x1.25x.035	All Models
8	1424	*	.632x1.00x.031	All Models	38	3180	*	Washer, Plain,	All Models
8	1068	*	Washer, Plain,	All Models	39	3707	1	.758x1.25x.040	All Models
8	1425	*	.632x1.00x.036	All Models	39	3646	1	Washer, Plain,	All Models
8	1068	*	Washer, Plain,	All Models	40	3637	1	.758x1.25x.045	All Models
8	1425	*	.632x1.00x.041	All Models	40	3866	1	Washer, Plain,	All Models
8	1358	*	Washer, Plain,	All Models	41	3719	1	.758x1.25x.050	All Models
8	1145	*	.632x1.00x.050	All Models	42	3683	1	Washer, Plain,	All Models
8	1319	*	Washer, Plain,	All Models	43	3724	3	.758x1.25x.062	All Models
9	3312	1	O-Ring	All Models	44	3713	1	Gear, Spur, 15 T.	4150-18, 4150-44,
10	1425	2	Washer, Plain,	All Models	45	1145	1	Gear, Spur, 12 T.	4150-52
11	1374	1	.632x1.00x.046	All Models	46	3191	2	Gear, Spur, 20 T.	4150-24
12	4171	1	Key, Woodruff, #9	All Models	47	3184	1	Gear, Spur, 25 T.	4150-18, 4150-24,
13	3725	1	Ass'y., Kit, Input	All Models	48	3666	1	Gear, Spur, 31 T.	4150-44
14	3624	1	Shaft	All Models	48	3777	1	Screw, Tapping,	4150-52
15	3625	1	Pinion, Bevel, 14 T.	All Models	49	3727	2	$\frac{5}{16}$ -18x1.44 Lg.	All Models
16	1542	4	Ring, Retaining	All Models	49	3155	2	Shaft, Drive	All Models
17	3709	1	Chain, 24 Pitches	All Models	49	3871	2	Washer, Plain,	All Models
17	3773	1	Bearing, Flange	All Models	50	3656	2	.640x1.00x.060	All Models
18	3631	1	Gear, Spur, 14 T.	4150-18, 4150-44,	51	3395	2	Seal, Felt	All Models
19	3676	4	Collar, Clutch	4150-52	51	3154	1	Washer, Plain,	All Models
19	3676	4	Key, Clutch	4150-18, 4150-44,	51	3839	1	.640x1.00x.060	All Models
19	3676	2	Key, Clutch	4150-52	52	3179	1	Ring, Retaining,	All Models
20	1369	1	Key, Woodruff, #3	4150-24	52	3840	1	Gear, Spur, 32 T.	4150-18, 4150-24
21	3663	1	Shaft, Intermediate	4150-18, 4150-44,	53	3726	2	Shaft, Cross	4150-44, 4150-52
21	3739	1	Shaft, Intermediate	4150-52	53	3156	2	Gear, Miter, 15 T.	4150-18, 4150-44,
22	1375	1	Key, Woodruff, #6	All Models	54	3667	1	Gear, Miter, 15 T.	4150-52
23	3627	1	Ring, Retaining	All Models	54	3778	1	Axle, L.H.	4150-24
24	3640	1	Sprocket, 18 T.	All Models	54	3845	1	Axle, L.H.	4150-24
25	3841	1	Spacer	All Models	55	4216	1	Axle, R.H.	4150-52
26	3787	1	Gear, Spur, 40 T.	All Models	55	4192	1	Ass'y., Shifter	4150-18, 4150-44,
27	3422	1	Spacer,	All Models	56	3775	1	Ass'y., Shifter	4150-52
28	3785	1	.630x1.00x.169	All Models	57	3654-B	1	Cap, Support	All Models
28	3786	1	Gear, Spur, 35 T.	4150-18, 4150-44,	58	3757	1	Housing, Lower	All Models
28	3786	1	Gear, Spur, 37 T.	4150-52	58	4410	1	Puck, Friction	4150-18, 4150-24,
29	3784	1	Gear, Spur, 30 T.	4150-24	59	3276	1	Ass'y., Kit, Puck	4150-44
29	3867	1	Gear, Spur, 30 T.	4150-18, 4150-24,	60	3758	1	Disc, Brake	4150-52
30	3783	1	Gear, Spur, 25 T.	4150-44	61	4280	1	Spacer	All Models
31	3741	1	Gear, Spur, 19 T.	All Models	61	4408	1	Ass'y., Jaw, Brake	4150-18, 4150-24
32	3628	1	Washer, Plain,	All Models	62	3754	2	Ass'y., Kit, Brake	4150-44
33	4193	1	.640x1.37x.061	All Models	63	3768	1	Pin, Dowel	4150-52
34	3658	1	Ass'y., Gear, Comb.	All Models	63	3768	1	Lever, Actuating	All Models
34	3658	1	12 T. & 35 T.	All Models	63	3762	1	Lever, Actuating	4150-18, 4150-44,
35	1959	1	Shaft, Idler	All Models	64	3842	1	Bracket, Anti-	4150-24
36	3645	1	Washer, Plain,	All Models				Rotation	4150-44
37	3589	1	.631x1.00x.010	All Models					
38	3749	*	Sprocket, 9 T.	All Models					
38	3749	*	Gear, Bevel, 42 T.	All Models					
38	3652	*	Washer, Plain,	All Models					
			.758x1.12x.010	All Models					
			Washer, Plain,	All Models					
			.758x1.12x.015	All Models					

* Use in various combinations to maintain proper clearances
 ** Order Key #12

KEY NO.	FOOTE PART NO.	NO. REQ'D.	DESCRIPTION	TRANSMISSION MODELS PARTS USED ON	KEY NO.	FOOTE PART NO.	NO. REQ'D.	DESCRIPTION	TRANSMISSION MODELS PARTS USED ON
64	4409	1	Ass'y., Kit, Anti-Rotation Bracket	4150-52	68	3759	2	Nut, Lock, $\frac{5}{16}$ -24	4150-18, 4150-24
65	3752	1	Spacer, .323x.563x1.00 Lg.	4150-18, 4150-24, 4150-44	68	3847	1	Nut, Lock, $\frac{5}{16}$ -24	4150-44, 4150-52
66	3771	1	Screw, Tapping, $\frac{5}{16}$ -18x2.50 Lg.	4150-18, 4150-24, 4150-44	69	3789	1	V-Ring	All Models
66	4407	1	Ass'y., Kit, Anti-Rotation Bracket	4150-52	70	3757	1	Puck, Friction	4150-18, 4150-24, 4150-44
67	3760	1	Washer, Plain, .321x1.00x.055	All Models	70	4411	1	Ass'y., Kit, Puck	4150-52
					71	3876	2	Washer, Plain, .632x1.38x.046	All Models
					72	4300	1	Grease	All Models