



J.B. FOOTE FOUNDRY CO. 4150-22
MURRAY OHIO CO.

THIS DRAWING IS THE PROPERTY
OF J.B. FOOTE FOUNDRY CO.
AND IS NOT TO BE REPRODUCED
WITHOUT WRITTEN PERMISSION

MODEL NO. 4150-22 *MURRAY*
 FIVE SPEED LINEAR SHIFT TRANSAXLE PARTS LIST

KEY #	PART #	NO.	REQ'D.	DESCRIPTION
1	3655-B	1		HOUSING, UPPER
2	1360	6		SCREW, TAPPING, 1/4-20 X 1.31 LG.
3	3396	8		SCREW, TAPPING, 1/4-20 X .875 LG.
4	1151	2		BALL, DETENT
5	3626	2		SPRING, DETENT
6	3623	2		SCREW, SET
7	1099	1		RING, RETAINING
8	1441	*		WASHER, PLAIN, .632 X 1.00 X .020
8	1423	*		WASHER, PLAIN, .632 X 1.00 X .026
8	1082	*		WASHER, PLAIN, .632 X 1.00 X .031
8	1424	*		WASHER, PLAIN, .632 X 1.00 X .036
8	1068	*		WASHER, PLAIN, .632 X 1.00 X .041
8	1425	*		WASHER, PLAIN, .632 X 1.00 X .046
8	1358	*		WASHER, PLAIN, .632 X 1.00 X .050
8	1145	*		WASHER, PLAIN, .632 X 1.00 X .060
8	1319	*		WASHER, PLAIN, .632 X 1.00 X .082
9	3312	1		O-RING
10	1425	4		WASHER, PLAIN, .632 X 1.00 X .046
11	1374	1		KEY, WOODRUFF, #9
12	4171	1		ASS'Y., KIT, INPUT SHAFT
13	3725	1		PINION, BEVEL, 14T.
14	3624	1		RING, RETAINING
15	3625	1		CHAIN, 24 PITCHES
16	1542	4		BEARING, FLANGE
17	3773	1		GEAR, SPUR, 14T.
18	3631	1		COLLAR, CLUTCH
19	3676	2		KEY, CLUTCH
20	1369	1		KEY, WOODRUFF, #3
21	3663	1		SHAFT, INTERMEDIATE
22	1375	1		KEY, WOODRUFF, #61
23	3627	1		RING, RETAINING
24	3640	1		SPROCKET, 18T.
25	3710	1		SPACER
26	3786	1		GEAR, SPUR, 37T.
27	3422	1		SPACER, .630 X 1.00 X .169
28	3784	1		GEAR, SPUR, 30T.
29	3783	1		GEAR, SPUR, 25T.
30	3782	1		GEAR, SPUR, 22T.
31	3741	1		GEAR, SPUR, 19T.
32	3628	1		WASHER, PLAIN, .064 X 1.37 X .061
33	4193	1		ASSEMBLY, GEAR, COMB., 12T. & 35T.
34	3658	1		SHAFT, IDLER
35	1959	1		WASHER, PLAIN, .631 X 1.00 X .010
36	3645	1		SPROCKET, 9T.
37	3772	1		GEAR, BEVEL, 42T.
38	3749	*		WASHER, PLAIN, .758 X 1.12 X .010
38	3652	*		WASHER, PLAIN, .758 X 1.12 X .015
38	3693	*		WASHER, PLAIN, .758 X 1.12 X .020
38	3653	*		WASHER, PLAIN, .758 X 1.12 X .025
38	3408	*		WASHER, PLAIN, .758 X 1.25 X .020

KEY #	PART #	NO. REQ'D.	DESCRIPTION
38	3732	*	WASHER, PLAIN, .758 X 1.25 X .025
38	3184	*	WASHER, PLAIN, .758 X 1.25 X .031
38	3733	*	WASHER, PLAIN, .758 X 1.25 X .035
38	3198	*	WASHER, PLAIN, .758 X 1.25 X .040
38	3734	*	WASHER, PLAIN, .758 X 1.25 X .045
38	3735	*	WASHER, PLAIN, .758 X 1.25 X .050
38	3736	*	WASHER, PLAIN, .758 X 1.25 X .055
38	3180	*	WASHER, PLAIN, .758 X 1.25 X .062
39	3646	1	GEAR, SPUR, 12T.
40	3637	1	GEAR, SPUR, 20T.
41	3719	1	GEAR, SPUR, 25T.
42	3648	1	GEAR, SPUR, 28T.
43	3683	1	GEAR, SPUR, 31T.
44	3657	1	SHAFT, DRIVE
45	1145	1	WASHER, PLAIN, .640 X 1.00 X .060
46	3191	2	SEAL, FELT
47	3184	1	WASHER, PLAIN, .758 X 1.25 X .031
48	3777	1	AXLE, L.H.
49	3155	2	GEAR, MITER, 15T.
50	3395	2	RING, RETAINING, SPIROLOX R
51	3154	1	GEAR, SPUR, 32T.
52	3179	1	SHAFT, CROSS
53	3156	2	GEAR, MITER, 15T.
54	3778	1	AXLE, R.H.
55	4192	1	ASSEMBLY, SHIFTER
56	3775	1	CAP, SUPPORT
57	3654-B	1	HOUSING, LOWER
58	3757	2	PUCK, FRICTION
59	3276	1	DISC, BRAKE
60	3758	1	SPACER
61	4188	1	ASSEMBLY, JAW, BRAKE
62	3754	2	PIN, DOWEL
63	3762	1	LEVER, ACTUATING
64	3770	1	SCREW, TAPPING, 5/16-18 X 1.50 LG.
65	3752	1	SPACER, .323 X .563 X 1.00 LG.
66	3771	1	SCREW, TAPPING, 5/16-18 X 2.50 LG.
67	3760	1	WASHER, PLAIN, .321 X 1.00 X .055
68	3759	2	NUT, LOCK, 5/16-24
69	3789	1	V-RING
70	3724	2	SCREW, TAPPING, 5/16-18 X 1.44 LG.

* USE IN VARIOUS COMBINATIONS TO MAINTAIN PROPER CLEARANCES.

** ORDER KEY NO. 12.