



LAMBERT
DANA CORPORATION
FREDERICKTOWN, OHIO
4360-88

DANA CORPORATIONSERVICE PARTS REPLACEMENT LISTINGMODEL NO.: 4360-88DATE: 4-5-94DESCRIPTION: THREE SPEED LINEAR SHIFT TRANSAXLECUSTOMER & PART NO.: LAMBERT - #

<u>KEY</u> <u>NO.</u>	<u>DANA</u> <u>PART NO.</u>	<u>LAMBERT</u> <u>PART NO.</u>	<u>NO.</u> <u>REQ'D.</u>	<u>DESCRIPTION</u>
1	5305-D		1	Housing, Upper
2	1919		14	Screw, Tapping, 1/4-20 X .734 Lg.
3	5112		2	Ball, Detent
4	3626		2	Spring, Detent
5	3623		2	Screw, Set
6	4731		1	Kit, Shifter Assembly
7	5024		1	Boot, Shifter
8	5131		2	Screw, Tapping w/Sealer
9	1106		1	Ring, Retaining
10	4689		3*	Ass'y., Kit, Shim, .625 Shaft
11	3876		2	Washer, Plain, .632 X 1.38 X .046
12	1746		1	Key, Woodruff, #9
13	4551		1	Ass'y., Kit, Input Shaft
14	3590		1	Pinion, Bevel, 14T.
15	3624		1	Ring, Retaining
16	3625		1	Chain, 24 Pitches
17	1542		3	Bearing, Flange
18	5402		1	Gear, Spur, 14T.
19	5467		1	Collar, Clutch
20	4758		1	Ass'y., Kit, Clutch Keys
21	5403		1	Shaft, Intermediate
22	3627		1	Ring, Retaining
23	3830		1	Sprocket, 18T.
24	3841		1	Spacer
25	5365		1	Gear, Spur, 37T.
26	5407		1	Gear, Spur, 35T.
27	3867		1	Gear, Spur, 30T.
28	5027		1	Spacer, 1.133 x 1.50 x .375
29	5026		1	Spacer, 1.133 X 1.50 X .750
30	3628		1	Washer, Plain, .640 X 1.37 X .061
31	5415		1	Bearing, Flange
32	5416		1	Seal, Oil
33	1423		2	Washer, Plain, .632 X 1.00 X .026
34	3422		1	Spacer, .630 X 1.00 X .169

Model #4360-88

Page 2

<u>KEY NO.</u>	<u>DANA PART NO.</u>	<u>LAMBERT PART NO.</u>	<u>NO. REQ'D.</u>	<u>DESCRIPTION</u>
35	4286		1	Ass'y., Gear, Comb., 12T. & 35T.
36	3967		1	Shaft, Idler
37	3901		1	Spacer, .635 X .875 X .755
38	3645		1	Sprocket, 9T.
39	3853		1	Gear, Bevel, 42T.
40	4691		2*	Ass'y., Kit, Shim, .750 Shaft
41	3882		1	Shaft, Drive
42	5364		1	Gear, Spur, 12T.
43	5406		1	Gear, Spur, 15T.
44	3866		1	Gear, Spur, 20T.
45	3714		1	Spacer, .781 x 1.00 x .375
46	3684		1	Spacer, .781 X 1.00 X .750
47	1145		1	Washer, Plain, .632 X 1.00 X .060
48	5130		2	Washer, Neoprene
49	3184		2	Washer, Plain, .758 X 1.25 X .031
50	3980		1	Axle, L.H.
51	3780		2	Gear, Miter, 15T.
52	3656		2	Ring, Retaining
53	3839		1	Gear, Spur, 32T.
54	3919		1	Shaft, Cross
55	3781		2	Gear, Miter, 15T.
56	3981		1	Axle, R.H.
57	5304-E		1	Housing, Lower
58	4300		1	Grease

* Use in various combinations to maintain proper clearances.

** Order Key No. 13.