20av Chain Saw UT-10759-A Accessories Page 1 of 14


## No Diagram Available

## Parts List Only

20av Chain Saw UT-10759-A Accessories Page 2 of 14

Ref # Part Nu	mber Qty	S/P/F	Description
PT1237	'1MD 1		Guide Bar (Power Tip) 12" (3/8" pitch)
H1N724	45AH 1		Chain 12" (3/8" pitch)
PT1437	'1MD 1	/P	Guide Bar (Power Tip) 14" (3/8" pitch)
H1N725	52AH 1	S	Chain 12" (3/8" pitch)
PT1637	'1MD 1	/P	Guide Bar (Power Tip) 16" (3/8" pitch)
H1N725	56AH 1	S	Chain 12" (3/8" pitch)
PT1837	'1MD 1	/P	Guide Bar (Power Tip) 18" (3/8" pitch)
H1N726	62AH 1	S	Chain 12" (3/8" pitch)
PL1332	21MA 1		Guide Bar (Power Tip) 13" (.325 pitch)
D1L725	56AH 1		Guide Bar (Power Tip) 13" (.325 pitch) Or
D1L735	56AH 1		Guide Bar (Power Tip) 13" (.325 pitch)
PL1532	21MA 1		Guide Bar (Power Tip) 15" (.325 pitch)
D1L726	64AH 1		Guide Bar (Power Tip) 15" (.325 pitch) Or
D1L736	64AH 1		Guide Bar (Power Tip) 15" (.325 pitch)
PT1632	21MA 1		Guide Bar (Power Tip) 16" (.325 pitch)
D1L726	66AH 1	S	Guide Bar (Power Tip) 16" (.325 pitch) Or
D1L736	66AH 1		Guide Bar (Power Tip) 16" (.325 pitch)
PT1832	21MA 1	S	Guide Bar (Power Tip) 18" (.325 pitch)
D1L727			Guide Bar (Power Tip) 18" (.325 pitch) Or
D1L737			Guide Bar (Power Tip) 18" (.325 pitch)
PT2032		/P	Guide Bar (Power Tip) 20" (.325 pitch)
D1L727			Guide Bar (Power Tip) 20" (.325 pitch) Or
D1L737			Guide Bar (Power Tip) 20" (.325 pitch)
PS2482		/P	Sealant Silicon
UP0656	51 1	S/P	Rubber tubing (10')
09207	1	/P	Wrench - Combination
18416	1		Digital Tachometer
18453	1	/P	Grease, Multi-purpose
94194	1	/P	Compression Tester
UP0716		S/P	Bit, Torx T27
UP0456		S/P	Carry Case
UP0673	32 1	S/P	Bumper Spike Kit


20av Chain Saw UT-10759-A Carburetor - Muffler - Air Filter Page 3 of 14



20av Chain Saw UT-10759-A Carburetor - Muffler - Air Filter Page 4 of 14

Ref #	Part Number	Qty	S/P/F	Description
1	UP06752	1	S/P	Muffler Kit (33/38cc); Includes items 2-7
	UP00126	1	S	Muffler Kit (45cc)
2	UP04183	1	S	Muffler Gasket
3	UP04049	3	S/P	Screw-Square Hd.
4	UP04059	3	S/P	Nut-Locking Hex (10-32) Torque Specs
				50-60 In/Lbs; 5.6-6.7 Nm
5	UP04203	1	S	Screen, Spark
6	UP04204	1	S/P	Deflector, Muffler (33/38cc)
	UP04169	1	S	Deflector, Muffler (45cc)
7	UP04244	1	S/P	Screw
8	UP06737	1	S/P	Carburetor Assembly (33 & 38cc); Includes
				items 9-10
	UP00125	1	S/P	Carburetor Assy (45cc)
	A09160	1		Carburetor Assy (i3350b, i3850b only)
9	UP04094	1	S	Carburetor Gasket
10	UP04217	2	S	Flange Nut (10-24) Torque Specs 30-40
				In/Lbs; 3.4-4.5 Nm
11	UP04218	1	S/P	Throttle Cable
12	UP04184	1	S/P	Gasket, Heat Dam
13	UP04173	1	S	Heat Dam
14	UP04191	1	S	Seal, Heat Dam
15	UP04084	2	S/P	Screw, Truss Hd. Taptite (10-24 x 7/8")
				Torque Specs 45-55 In/Lbs; 5.0-6.2 Nm
16	UP04189	2	S	Screw, Carburetor
17	UP03897	1	S	Screw, Thread Form (10-14 x 1/2") Torque
				Specs 30-40 In/Lbs; 3.4-4.5 Nm
18	12789	1	/P	Washer, Retaining
19	UP04211	1	S	Fuel Line (Tank to Carburetor 8 1/2")
20	UP04209	1	S/P	Fuel Line (Carburetor to Purge Bulb 4")
21	UP04171	1	S	Carburetor Grommet
	UP06753	1	S/P	Air Filter Kit Includes items 22-24
22	UP04533	1	S	Air Filter Cover
23	UP04208	1	S	Pre Filter (In engine housing)
24	UP04235	2	S	Screw-Slotted Pan Hd. (8-16 x 5/8") Torque
				Specs 15-20 In/Lbs; 1.7-2.3 Nm
25	UP04213	1	S	Rod, Choke
26	UP04178	1	S	Air Filter Plate
27	UP04227	1	S	Spring Clip (Choke Rod)

20av Chain Saw UT-10759-A Clutch - Chain Brake - Drive Case Cover Page 5 of 14




## 20av Chain Saw UT-10759-A Clutch - Chain Brake - Drive Case Cover

Page 6 of 14

	D (1)		0 /5 /=	
Ref #	Part Number	Qty	S/P/F	Description
1	UP06568	1	S/P	Hand Guard Kit Includes items 2-5
2	UP04214	1	S	Hand Guard Actuating Pin
3	UP04054	1		Retaining Ring
?4	UP04207	1	/P	Hand Guard Link (Non-chain brake units-not
				shown)
?5	UP04090	1	c	Poll Pin (Non chain broke units not shown)
		1	S	Roll Pin (Non-chain brake units-not shown)
6	UP04224	1	S	Spring, Handguard
7	UP04202	1	S	Pivot, L.H.
8	UP04201	1	S	Pivot, R.H.
9	UP04240	1	S	Screw, Hex Socket Hd. (8-32 x 5/8") Torque
				Specs 25-35 In/Lbs; 2.8-3.9 Nm
10	UP04180	2	S	Guide Bar Bolt
. •	UP06966	1	S/P	Guide Bar Adjusting Kit Includes items 11-15
11	UP04206	1	S/P	Plate, Guide Bar
12	UP04085	1	S/P	Plate, Guide Bar
13	UP04187	1	S	Screw, Guide Bar Adjusting
14	UP04186	1	S	
	UP04056	1		Pin, Guide Bar Adjusting
15		1	S S	Ring, Retaining
16	UP04082	1	5	Screw, Thread Form (6-19 x 1/2") Torque
				Specs 8-18 In/Lbs; .9-2.0 Nm
17	A08680A	1	S/P	Chain Brake Kit Includes items 19-21
19	UP04309	1	S/P	Cover, Chain Brake
18	UP04181	1	S	Pin, Roll
20	UP04082	1	S	Screw, Pan Hd. (6-19 x 1/2") Torque Specs
				10-20 In/Lbs; 1.1-2.3 Nm
0.4	LID0 4000		•	·
21	UP04239	1	S	Screw, Pan Hd. (8-16 x .320) Torque Specs
				20-30 In/Lbs; 2.3-3.4 Nm
22	UP04223	1	S	Chain Brake Link
23	UP04090	1	S	Pin, Roll
24	UP04182	1	Š	Thrust Washer
25	UP06727	1	S/P	Clutch & Hardware Torque Specs 130-180
20	01 00121	•	0/1	In/Lbs; 14.7-20.3 Nm
				•
26	UP06967	1	S	Sprocket, Drum (3/8 Pitch) Includes items
				27-28
	UP04560	1	S/P	Sprocket, Drum (.325 Pitch) (i3850b & 45cc
	01 04300	•	0/1	only)
				•
27	UP04175	1	S	Bearing, Needle
28	UP04228	1	S/P	Ring, Retaining
29	UP04179	1	S/P	Washer, Cupped
30	UP06975	1	S/P	Drive Case Cover Includes items 31-32
31	UP04088	1	S	Stop, Chain
32	UP03900	1	S/P	Screw, Thread Form (10-14 x 3/4") Torque
				Specs 30-50 In/Lbs; 3.4-5.6 Nm
22	LIDOAOEO	0	c	•
33	UP04058	2	S S	Nut, Hex Torque Specs Hand Tight
34	UP04032	1	5	Spring, Compression

## www.mymowerparts.com

20av Chain Saw UT-10759-A Engine Housing - Fuel Tank - Oil Tank Page 7 of 14




20av Chain Saw UT-10759-A Engine Housing - Fuel Tank - Oil Tank Page 8 of 14

Ref #	Part Number	Qty	S/P/F	Description
1	A08692	1	S	Cylinder Cover Kit Includes items 2-3
2	UP04212	1	S	Safety Decal
3	UP04219	3	S	Screw-Slotted Pan Hd. Torque Specs 15-25
				In/Lbs; 1.7-2.8 Nm
4	UP04193	1	S/P	Control Panel
5	UP04052	1	S	Grommet
6	UP04213	1	S	Rod, Choke
7	UP04033	1	S/P	Bulb, Air Purge
8	UP04218	1	S/P	Throttle Cable
9	UP04197	1	S/P	Switch, Rocker
10	UP04215	2	S	Grommet - Split
11	A08892	1	S	Engine Housing Includes items 12-20
12	UP04205	2	S	Element, Filter (Bronze)
13	UP04045	2	S	Duck Bill Valve
14	UP04185	1	S	Oil Outlet Grommet
15	UP04048	1	S/P	Oil Intake Tube
16	UP04210	1	S/P	Rubber Tubing (5 1/2")
17	UP04211	1	S	Rubber Tubing (8 1/2")
18	UP03871	1	S/P	Fuel Filter
19	DA07590	1	S	Fuel Cap w/ Retainer
20	DA07591	1		Oil Cap w/ Retainer
	UP04054	1		Oil Filter (Not Shown)
	UP04180	2	S	Guide Bar Bolt (Not Shown)
21	UP04221	3	S	Speed Nut ("U-Type")
22	UP04083	4	S	Screw, Cap-Socket Hd. (10-24 x 2") Torque
				Specs 65-76 In/Lbs; 7.3-8.5 Nm
23	UP04087	4	S	Washer
24	UP04208	1	S	Pre Filter
25	UP04227	1	S	Spring Clip (Choke Rod)
26	UP04054	1		Oil Filter

20av Chain Saw UT-10759-A Engine Internal - Oil Pump


Page 9 of 14



20av Chain Saw UT-10759-A Engine Internal - Oil Pump Page 10 of 14

Ref #	Part Number	Qty	S/P/F	Description
1	UP06602	1	/P	Oil Pump Kit Includes items 2-4A
2	UP04185	1	S	Grommet, Oil Outlet
3	UP04188	1	S	Left Hand Worm
4	UP04048	1	S/P	Tube, Oil Intake
4A	UP04054	1	<b>O</b> / ·	Oil Filter
5	UP03696	1	/P	Short Block Complete (33cc); Includes items
· ·	01 00000	•	,,	6-16
	UP03853	1	/P	Short Block Complete (38cc)
	UP04168	1	/P	Short Block Complete (45cc)
6	A08666	1	S	Cylinder Kit (33cc)
_	A08667	1	S/P	Cylinder Kit (38cc)
	UP00129	1	S	Cylinder Kit (45cc)
	UP04183	1	Š	Gasket, Muffler (Not Shown)
	UP04184	1	S/P	Gasket, Heat Dam (Not Shown)
	UP04094	1	S	Gasket, Carburetor (Not Shown)
7	UP06971	1	S/P	Piston & Pin (33cc); Includes items 8-9
8	UP04177	1	S	Piston Ring (33cc)
9	UP04051	2	S	Ring, Retaining
7	UP06972	1	S/P	Piston & Pin (38cc); Includes items 8-9
	UP04190	1		Piston Ring (38cc)
8 9	UP04051	2	S S	<b>9</b> \
7		1	S	Ring, Retaining
	UP00130		S	Piston & Pin (45cc); Includes items 8-9
8	UP04231	1	S	Piston Ring (45cc)
9	UP04051	2	S	Ring, Retaining
10	UP04083	4	S	Screw, Cap-Socket Hd. (10-24 x 2") Torque Specs 65-75 In/Lbs; 7.3-8.5 Nm; Required Loctite 262 Red
11	UP03898	2	S	Screw, Pan Hd., Plastite (8-16 x 5/8") Torque Specs 15-20 In/Lbs; 1.7-2.3 Nm
12	UP03587	1	/P	Crankshaft & Rod Assy (33 & 38cc); Includes items 13-16
	UP00131	1	S	Crankshaft & Rod Assy (45cc)
13	UP04174	1	S/P	Bearing, Needle
14	UP04047	2	S	Shaft Seal
15	UP04176	2	S/P	Bearing & Rubber Case Includes item 16
16	UP04046	2	S	Rubber Case
17	UP04093	1	S	Spark Plug Torque Specs 120-180 In/Lbs; 13.6-20.3 Nm
18	UP03874	1	S	Woodruff Key
19	UP04087	4	S	Washer
20	UP04172	1	S	Lower Crankcase (33 & 38cc)
_•	UP04232	1	S	Lower Crankcase (45cc)


20av Chain Saw UT-10759-A Handles Page 11 of 14



20av Chain Saw UT-10759-A Handles Page 12 of 14

Ref #	Part Number	Qty	S/P/F	Description
1	UP06977	<u> </u>	3/F/F S	Rear Handle Kit Includes items 2-11
2	UP04234	1	S/P	Screw-Pan Hd. (12-14 x 1 1/2") Torque
2	OF 04234	1	3/1	Specs 40-50 In/Lbs; 4.5-5.6 Nm
				Specs 40-30 III/Lbs, 4.3-3.0 NIII
3	UP04218	1	S/P	Throttle Cable
4	UP04195	1	S/P	Trigger, Throttle
5	UP04196	1	S	Throttle Lock Out
6	A08683	1	S	Handle Cover Kit
7	UP04199	1	S	Throttle Lock Pin
8	UP04226	1	S	Spring, Compression
9	UP04050	1	S	Ring, Retainer
10	UP03900	2	S/P	Screw, Thread Form (10-14 x 3/4") Torque
				Specs 30-40 In/Lbs; 3.4-4.5 Nm
11	UP04238	1	S	Sorow Throad Form (10.14 v.1.2/9") Torquo
11	UP04236	ı	3	Screw, Thread Form (10-14 x 1 3/8") Torque
				Specs 30-40 In/Lbs; 3.4-4.5 Nm
12	UP06973	1	S/P	Front Handle Kit
	UP04234	1	S/P	Screw-Pan Hd. (12-14 x 1 1/2") (See No. 2
				above)
13	A08677	1	c	Isolator Kit Includes items 14-16
13	UP04237	1 3	S S	
14	UF 04237	3	3	Screw, Truss Hd. (10-14 x 5/8") Torque
				Specs 30-40 In/Lbs; 3.4-4.5 Nm
15	UP04233	1	S	Screw, Truss Hd. (10-24 x 5/8") Torque
				Specs 40-50 In/Lbs; 4.5-5.6 Nm
16	UP04200	1	c	Limiter, Isolator
17	UP03897	3	S S	•
17	UF03091	3	3	Screw, Thread Form (10-14 x 1/2") Torque
				Specs 30-40 In/Lbs; 3.4-4.5 Nm

20av Chain Saw UT-10759-A Starter - Ignition Page 13 of 14



20av Chain Saw UT-10759-A Starter - Ignition Page 14 of 14

Ref #	Part Number	Qty	S/P/F	Description
1	A08679A	1	S	Starter Kit Includes items 2-7
2	UP04092	1	S	Spring & Container
3	UP05460	1	S/P	Pulley, Starter
4	UP04237	1	S	Screw, Thread Form (10-14 x 5/8") Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm
5	UP04089	1	S/P	Washer, Retaining
6	UP04216	1	S	Grip, Starter
7	UP03911	1		Rope, Starter 46"
8	UP04192	1	S S	Baffle, Fan Housing
9	UP04242	1	S/P	Rotor & Starter Pawl
10	A08676A	1	S	Ignition Kit (33cc models); Includes item 11
	UP05851	1	S	Ignition Kit
11	UP04086	2	S/P	Screw, Thread Form (8-32 x 5/8") Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm
12	UP04093	1	S	Spark Plug Torque Specs 120-180 In/Lbs; 13.6-20.3 Nm
13	UP04222	1	S	Ignition Switch Harness
14	UP04215	1	Š	Grommet, Wire Harness (Split)
15	UP04241	1	S/P	Washer, Flat
16	UP04081	1	S	Nut, Jam Torque Specs 100-150 In/Lbs; 11.3-16.9 Nm
17	UP04236	2	S	Screw, Truss Hd. (10-14 x 7/8") Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm
18	UP04237	2	S	Screw, Truss Hd. (10-14 x 5/8") Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm