



IPL, Technical Specification EPA, 2003-02, 106 25 27-64

Technical Specification EPA

Spare parts	Replaces	
Ersatzteile	Ersetzt	
Pièces détachées	Remplace	
Reserve onderdelen	Vervangt	
Repuestos	Reemplaza	
Reservdelar	Ersätter	106 25 27-63



	cu.in cc	Ø inch Ø mm	inch mm	kW rpm	rpm	rpm	rpm	NGK Champion	inch mm	type	inch mm	type	US pint liters	ml/min (9 000rpm)	US pint liters	inch	m/sec	inch	inch mm	lbs. kg	volt
316 Electric	—	—	—	1.6 / 7 500	—	—	—	—	—	—	—	—	—	5 (7 500)	0.21 0.10	12"-16"	14.0	3/8"	.050 1.3	8.4 3.8	110 - 120
334T	2.15 35.2	1.50 38	1.22 31	1.5 / 9 600	2 800	4 100	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA CIQ-EL19	4 0.63 0.30	3-7	0.34 0.16	12"-14"	18.3	3/8"	.050 1.3	7.5 3.4	—
338XPT	2.40 39.0	1.60 40	1.22 31	1.7 / 9 600	2 800	4 100	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA CIQ-EL19	4 0.63 0.30	3-7	0.34 0.16	12"-16"	18.3	3/8"	.050 1.3	7.5 3.4	—
336	2.15 35.2	1.50 38	1.22 31	1.5 / 9 600	2 800	4 100	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA CIQ-EL20	4 0.76 0.36	3-7	0.42 0.20	13"-18"	18.3	.325"	.050 1.3	8.4 3.8	—
136	2.22 36.3	1.50 38	1.26 32	1.6 / 9 000	3 000	4 500	4	BPMR 7 A RCJ 7Y	.02 0.5	PHELON CD	.012 0.3	WALBRO WT 289	4 0.87 0.41	6-8	0.42 0.20	13"-15"	16.3	.325" / 3/8"	.050 1.3	10.1 4.6	—
141	2.44 40.2	1.57 40	1.26 32	1.9 / 9 000	3 000	4 500	4	BPMR 7 A RCJ 7Y	.02 0.5	PHELON CD	.012 0.3	WALBRO WT 289	4 0.87 0.41	6-8	0.42 0.20	13"-15"	16.3	.325" / 3/8"	.050 1.3	10.1 4.6	—
340	2.49 40.8	1.57 40	1.28 32	2.0 / 9 000	2 700	3 800	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA C3-EL18	4 1.05 0.50	9	0.53 0.25	13"-20"	17.3	.325"	.050 .058 .063 1.3 1.5 1.6	10.3 4.7	—
345	2.75 45.0	1.65 42	1.28 32	2.2 / 9 000	2 700	3 800	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA C3-EL18	4 1.05 0.50	9	0.53 0.25	13"-20"	17.3	.325"	.050 .058 .063 1.3 1.5 1.6	10.3 4.7	—
346XP	2.75 45.0	1.65 42	1.28 32	2.5 / 9 600	2 700	3 800	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA C3-EL18	4 1.05 0.50	5-12	0.59 0.28	13"-20"	18.5	.325"	.050 .058 .063 1.3 1.5 1.6	10.6 4.8	—
350	3.15 51.7	1.77 45	1.28 32	2.3 / 9 000	2 700	3 800	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA C3-EL18	4 1.05 0.50	5-12	0.55 0.26	13"-20"	17.3	.325"	.050 .058 .063 1.3 1.5 1.6	10.6 4.8	—
353	3.15 51.7	1.77 45	1.28 32	2.4 / 9 000	2 700	3 800	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	ZAMA C3-EL18	4 1.05 0.50	5-12	0.59 0.28	13"-20"	17.3	.325"	.050 .058 .063 1.3 1.5 1.6	11.0 5.0	—
55 Rancher	3.25 53.2	1.81 46	1.26 32	2.5 / 9 000	2 500	3 600	4	BPMR 7 A RCJ 7Y	.02 0.5	FHP ET	.012 0.3	ZAMA CIQ-EL7	4 1.27 0.60	9	0.63 0.30	13"-24"	17.4	.325" / 3/8"	.050 .058 .063 1.3 1.5 1.6	11.4 5.2	—
357XP	3.45 56.5	1.81 46	1.34 34	3.2 / 9 600	2 700	3 700	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO HDA 199	4 1.43 0.68	6-17	0.80 0.38	13"-24"	21.4	.325" / 3/8"	.050 .058 .063 1.3 1.5 1.6	12.1 5.5	—
359	3.60 59.0	1.85 47	1.34 34	2.9 / 9 000	2 700	3 700	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO HDA 199	4 1.43 0.68	6-17	0.80 0.38	13"-24"	21.4	.325" / 3/8"	.050 .058 .063 1.3 1.5 1.6	12.1 5.5	—
362XP Special	3.81 62.4	1.85 47	1.42 36	3.4 / 9 600	2 700	3 600	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO HD 12B	4 1.63 0.77	4-20	0.89 0.40	13"-24"	21.4	.325" / 3/8"	.050 .058 .063 1.3 1.5 1.6	13.2 6.0	—
365 Special	3.97 65.1	1.89 48	1.42 36	3.4 / 9 300	2 700	3 600	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO HD 12B	4 1.63 0.77	4-20	0.89 0.40	15"-28"	20.7	3/8"	.050 .058 .063 1.3 1.5 1.6	13.2 6.0	—
372XP	4.31 70.7	1.97 50	1.42 36	3.9 / 9 600	2 700	3 600	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO HD 12B	4 1.63 0.77	4-20	0.89 0.40	15"-28"	21.4	3/8"	.050 .058 .063 1.3 1.5 1.6	13.4 6.1	—
385XP	5.20 84.7	2.10 54	1.50 37	4.6 / 9 600	2 700	3 600	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	TILLOTSON HS 296A	4 1.90 0.90	4-20	1.26 0.50	18"-28"	21.4	3/8"	.058 1.5	15.4 7.0	—
288XP	5.31 87.0	2.13 54	1.50 38	4.5 / 9 300	2 500	3 400	4	RCJ 6Y	.02 0.5	SEM CD	.012 0.3	TILLOTSON HS 283B	4 1.90 0.90	12-16 20-24	1.06 0.50	15"-32"	20.7	3/8"	.058 1.5	16.5 7.5	—
395XP	5.71 93.6	2.21 56	1.50 38	5.2 / 9 600	2 500	3 400	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	TILLOTSON HS 298A	4 1.90 0.90	14-21	1.06 0.50	18"-36"	19.6	3/8" / .404"	.050 .058 .063 1.3 1.5 1.6	17.4 7.9	—
3120XP	7.25 118.8	2.36 60	1.65 42	6.2 / 9 000	2 500	3 400	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO WG7A	4 2.64 1.25	28-51	1.45 0.70	24"-42"	20.1	.404"	.063 1.6	22.9 10.4	—
371K	4.30 70.7	1.97 50	1.42 36	3.5 / 9 300	2 500	3 600	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM CD	.012 0.3	WALBRO HD 20	4 1.63 0.77	—	—	—	—	—	—	12" 20.1/9.1 14" 20.7/9.4	—
3120K	7.25 118.8	2.36 60	1.65 42	5.8 / 9 750	2 500	3 400	4	BPMR 7 A RCJ 7Y	.02 0.5	SEM ET	.012 0.3	WALBRO WG 9	4 2.64 1.25	—	—	—	—	—	—	14" 29.1/13.2 16" 30.9/14.0	—