



For Husqvarna Parts Call 606-678-9623 or 606-561-4983





# LTH 120



**1.1997**  
**Spare Parts**

**954 14 00-13A**

### SCHEMATIC



**IGNITION SWITCH**

| POSITION  | CIRCUIT   | "MAKE" |
|-----------|-----------|--------|
| OFF       | G + M + L | NONE   |
| RUN/LIGHT | B + L     | A + Y  |
| RUN       | B + L     | NONE   |
| START     | B + L + S | NONE   |

### WIRING INSULATED CLIPS

**NOTE:** IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE REPLACED TO PROPERLY SECURE YOUR WIRING.

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**  
**ELECTRICAL**



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS


TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
ELECTRICAL

| KEY<br>NO. | PART<br>NO. | DESCRIPTION                             |
|------------|-------------|-----------------------------------------|
| 1          | 532144925   | Battery 12 Volt 25 AMP                  |
| 2          | 874760412   | Bolt Hex Hd 1/4-20unc X 3/4             |
| 3          | 819091016   | Washer 9/32 X 5/8 X 16 Ga.              |
| 4          | 810040400   | Washer Lock Hvy Helical 1/4             |
| 6          | 873220400   | Nut Fin Hex 1/4-20 Unc                  |
| 7          | 532109238   | Tube Plastic 12"                        |
| 8          | 532156417   | Case Battery Mech Hinge                 |
| 9          | 532109596   | Clamp Hose Olive                        |
| 16         | 532153664   | Switch Interlock Push-In                |
| 19         | 810090400   | Washer Lock 1/4                         |
| 20         | 873350400   | Nut Jam Hex 1/4-20 Unc                  |
| 21         | 532136850   | Harness Asm Light W/4152j               |
| 22         | 532004152   | Bulb Light #1156                        |
| 24         | 532124780   | Cable Battery 6 Ga 11" red              |
| 25         | 532146147   | Cable Battery 6 Ga 44" red w/16<br>wire |
| 26         | 532108824   | Fuse 30 AMP Auto Green                  |
| 28         | 532124773   | Cable Ground 6 Ga 12" black             |
| 29         | 532121305   | Switch Plunger Nc Gray                  |
| 30         | 532140301   | Switch Ign 4 pos w/lights               |
| 31         | 532124211   | Nut Ignition                            |
| 32         | 532141226   | Cover Sw Ignition                       |
| 33         | 532122147   | Key Ign Modelled Generic                |
| 40         | 532156442   | Harness Ign.                            |
| 41         | 871110408   | Bolt Blk Fin Hex 1/4 - 20 x 1/2         |
| 42         | 532131563   | Cover Terminal Red                      |
| 43         | 532145673   | Solenoid                                |
| 44         | 873640400   | Nut Keps Hex 1/4-20 Unc                 |
| 48         | 532140844   | Adapter Ammeter Rectangular             |
| 52         | 532141940   | Protection Wire Loop                    |
| 70         | 532140413   | Harness, Eng. B&S/Tec Dual              |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

For Husqvarna Parts Call 606-678-9623 or 606-561-4983  
**REPAIR PARTS**

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
CHASSIS AND ENCLOSURES



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS


**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**  
**CHASSIS AND ENCLOSURES**

| KEY NO. | PART NO.  | DESCRIPTION                           |
|---------|-----------|---------------------------------------|
| 1       | 532153871 | Chassis Weldment                      |
| 2       | 532140356 | Drawbar, Stretch                      |
| 3       | 817490612 | Screw Thdrol 3/8-16x3/4 Ty-tt         |
| 4       | 819131216 | Washer 13/32 x 3/4 x 16 Ga.           |
| 5       | 532155272 | Bumper Hood/Dash                      |
| 9       | 532157261 | Dash P/L M, N/AMM N/HM Grey           |
| 10      | 872140608 | Bolt Carriage 3/8-16 x 1              |
| 11      | 532155927 | Panel Dash Lh                         |
| 13      | 532157262 | Panel Dash Rh                         |
| 14      | 817490608 | Screw Thdrol 3/8-16x1/2 Ty-tt         |
| 17      | 532156051 | Hood LT/PL Husqvarna                  |
| 20      | 532156437 | Plate Mtg Battery Fuel Tank Fr        |
| 23      | 532124028 | Bushing                               |
| 25      | 819131312 | Washer 13/32 X 13/16 X 12 Ga          |
| 26      | 873800600 | Nut Lock Hex W/Ins 3/8-16 Unc         |
| 28      | 532149776 | Grille LT/PL Husqvarna                |
| 29      | 532149777 | Lens LT/PL Husqvarna                  |
| 30      | 532156489 | Fender Footrest STLT Pnt              |
| 31      | 532139976 | Bracket Support Fender                |
| 37      | 817490508 | Screw Thdrol 6/16-18 x 1/2 TYT        |
| 38      | 532139886 | Bracket, Asm. Pivot, L.H., Mower Rear |
| 39      | 532139887 | Bracket, Asm. Pivot, R.H., Mower Rear |
| 51      | 873800400 | Nut Lock Hex W/Ins 1/4-20             |
| 52      | 819091416 | Washer 9/32 x 7/8 x 16 Ga.            |
| 53      | 532150067 | Bracket Pnt. Pick off LT/PL Husqvarna |
| 57      | 874780412 | Bolt Hex 1/4-20 x 3/4                 |
| 58      | 532150127 | Air Duct Engine P/L                   |
| 60      | 872140606 | Bolt Rdhd Sqnk 3/8-16unc x 3/4        |
| 64      | 532154798 | Dash Lower STLT                       |
| 74      | 873680600 | Nut Crownlock 3/8-16 UNC              |
| 80      | 532155854 | Latch Hood Plm Husqvarna              |
| 122     | 532157301 | Bracket Shift STLT                    |
| 123     | 532152927 | Screw                                 |
| 129     | 819091016 | Washer 9/32 x 5/8 x 16 Ga.            |
| 134     | 532150132 | Rod Support Hood LT/PL Husq.          |
| 140     | 532158418 | Bracket Suspension Front              |
| 142     | 532156095 | Plate Reinforcement STLT              |
| 143     | 532154966 | Bracket Swaybar Chassis               |
| 144     | 532154207 | Bracket Pnt Footrest STLT             |
| --      | 532005479 | Plug Button                           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For Husqvarna Parts Call 606-678-9623 or 606-561-4983  
**REPAIR PARTS**

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
DRIVE



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**


### DRIVE

| KEY NO. | PART NO.  | DESCRIPTION                       | KEY NO. | PART NO.  | DESCRIPTION                      |
|---------|-----------|-----------------------------------|---------|-----------|----------------------------------|
| 1       | 532140607 | Transaxle Assembly                | 64      | 871170764 | Bolt, Hex                        |
| 2       | 532142431 | Spring, Return, Brake             | 65      | 810040700 | Washer                           |
| 3       | 532144698 | Pulley, Transaxle                 | 66      | 532154778 | Keeper, Belt Engine Flproof      |
| 8       | 532154792 | Rod Shift Fender STLT             | 70      | 532134683 | Keeper Belt Engine               |
| 10      | 876020416 | Pin Cotter 1/8 x 1 CAD            | 71      | 532141417 | Strap Torque Lh Hydro 500 18"    |
| 15      | 874490544 | Bolt Hex Flghd 5/16-18 Gr 5       | 72      | 819132012 | Washer 13/32 x 1-1/4 x 12 Gauge  |
| 16      | 873800500 | Nut Lock Hex W/Ins 5/16-18 Unc P  | 73      | 532141418 | Strap Torque Rh Hydro 500 18"    |
| 18      | 874780616 | Bolt Fin Hex 3/8-16 Unc x 1 Gr. 5 | 74      | 532121199 | Spacer, Split                    |
| 19      | 873800600 | Nut Lock Hex W/Wsh 3/8-16 Unc     | 75      | 532121749 | Washer 25/32 x 1-1/4 x 16 Gauge  |
| 21      | 532106933 | Knob 1/2-13                       | 76      | 812000001 | E-Ring                           |
| 22      | 532145627 | Rod, Brake Hydro                  | 77      | 532123583 | Key, Square                      |
| 24      | 873350600 | Nut                               | 78      | 532121748 | Washer 25/32 x 1-5/8 x 16 Gauge  |
| 25      | 532106888 | Spring, Brake Rod                 | 81      | 532156048 | Shaft Asm. Cross Hydro 500       |
| 26      | 819131316 | Washer                            | 82      | 532123782 | Spring Torsion T/A               |
| 27      | 876020412 | Pin Cotter 1/8 x 3/4 CAD.         | 83      | 819171216 | Washer 17/32 x 3/4 x 16 Ga.      |
| 28      | 532145204 | Rod, Parking Brake                | 84      | 532141423 | Rod, Tie Hydro Sph Ball 500      |
| 29      | 532071673 | Cap, Parking Brake                | 86      | 532071208 | Bushing Rod Strig. 629/632 ID    |
| 30      | 532130807 | Bracket, Transaxle                | 87      | 819212016 | Washer 21/32 x 1-1/4 x 16 Ga.    |
| 32      | 874760512 | Bolt Hex Hd 5/16-18 Unc x 3/4     | 88      | 812000008 | Ring Klip #5304-62               |
| 34      | 532155071 | Shaft, Foot Pedal                 | 89      | 532154882 | Console, Shift Hydro STLT        |
| 35      | 532120183 | Bearing, Nylon                    | 90      | 532124346 | Nut Self-Thd Wsh-Hd 1/4 Zinc     |
| 36      | 819211616 | Washer                            | 91      | 874780536 | Bolt Fin Hex 5/16-18 x 2-1/4     |
| 37      | 532124963 | Pin, Roll                         | 92      | 874780524 | Bolt Fin Hex 5/6-18 Unc x 1-1/2  |
| 38      | 532123674 | Pulley, Idler, Flat               | 93      | 532142564 | Line Fuel Hydro 4"               |
| 39      | 874760644 | Bolt                              | 94      | 532140462 | Fan, Hydro 7"                    |
| 40      | 532124965 | Spacer, Split                     | 95      | 532144643 | Control Asm. Bypass Hydro        |
| 41      | 532154777 | Keeper, Belt Retainer             | 96      | 532124788 | Retainer Spring 1" Zinc/Cad      |
| 42      | 819131312 | Washer 13/32 x 13/16 x 12 Gauge   | 97      | 532144201 | Keeper Belt Rh Hydro 500         |
| 47      | 532127783 | Pulley, Idler, V-Groove           | 98      | 873510600 | Nut Keps Hex 3/8-16 Unc          |
| 48      | 532154604 | Bellcrank Assembly                | 100     | 819111216 | Washer 11/32 x 3/4 x 16 Ga.      |
| 49      | 532123205 | Retainer, Belt                    | 103     | 873940800 | Nut, Hex Jam Toplock 1/2-20 Unf  |
| 50      | 874760624 | Bolt                              | 104     | 532141421 | Arm, Control Pump                |
| 51      | 873680600 | Nut Crownlock 3/8-16              | 105     | 871070516 | Screw Cap Hex 5/16 x 18 x 1      |
| 52      | 873680500 | Nut Crownlock 5/16-18             | 106     | 874780520 | Bolt Fin Hex 5/16-18 Unc x 1-1/4 |
| 53      | 532105710 | Link, Clutch                      | 108     | 817541026 | Screw Hex Wh Hd #10-24 x 1-5/8   |
| 55      | 532105709 | Spring, Return, Clutch            | 109     | 532145098 | Adaptor Fan/Hydro Lt Hyd Alum    |
| 56      | 874760620 | Bolt Fin Hex 3/8-16 Unc x 1-1/4   | 116     | 872110610 | Bolt, RDHD SQ Neck 3/8-16 x 1.25 |
| 57      | 532141416 | V-Belt, Ground Drive              | 118     | 532154774 | Spacer Bellcrank                 |
| 59      | 532140312 | Keeper, Center Span               | 121     | 532154419 | Nyliner Clutching STL            |
| 61      | 817490612 | Screw Thdrol. 3/8-16 x 3/4 Ty. TT |         |           |                                  |
| 62      | 532124872 | Cover, Pedal                      |         |           |                                  |
| 63      | 532140186 | Pulley, Engine                    |         |           |                                  |

**NOTE:** All component dimensions give in U.S. inches.  
1 inch = 25.4 mm.

For Husqvarna Parts Call 606-678-9623 or 606-561-4983  
**REPAIR PARTS**

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**  
**STEERING ASSEMBLY**



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
STEERING ASSEMBLY

| KEY NO. | PART NO.  | DESCRIPTION                      |
|---------|-----------|----------------------------------|
| 1       | 532124415 | Wheel Steering                   |
| 2       | 532154427 | Axle Asm STMP Dropped STL        |
| 3       | 532154422 | Spindle Asm LH                   |
| 4       | 532154423 | Spindle Asm RH                   |
| 5       | 532124931 | Bearing Race Thrust Harden       |
| 6       | 532121748 | Washer 25/32 X 1-5/8 X 16 Ga     |
| 7       | 819272016 | Washer 27/32 X 1-1/4 X 16 Ga     |
| 8       | 812000029 | Ring Klip #t5304-75              |
| 9       | 532124937 | Bearing Col Strg Blk             |
| 10      | 532156438 | Link Drag Extended Stamp         |
| 11      | 810040600 | Washer Lock Hvy Hlcl Spr 3/8     |
| 13      | 532154779 | Bearing Axle STLT/GT             |
| 15      | 873901000 | Nut Lock Flange 5/8-11 Unc       |
| 17      | 532156546 | Shaft Asm Strg                   |
| 18      | 532057079 | Washer Thrust 515x 750x 033      |
| 19      | 532124035 | Support Shaft                    |
| 20      | 532126684 | Washer Shim 1/4 X 5/8 X 062      |
| 22      | 871200410 | Screw Hex Socket 1/4-20 x 5/8    |
| 23      | 532127501 | Shaft Asm Pittman                |
| 25      | 532154406 | Bracket Steering                 |
| 26      | 543126847 | Bushing Link Drag Blk LR         |
| 27      | 532136874 | Gear Sector                      |
| 28      | 819131416 | Washer 13/32 X 7/8 X 16 Ga       |
| 29      | 817490612 | Screw Thdrol 3/8-16x3/4 Ty-tt    |
| 30      | 876020412 | Pin Cotter 1/8 X 3/4 Cad         |
| 32      | 532130465 | Rod Tie Wire Form 19 75 Mech     |
| 36      | 532155099 | Bushing Strg                     |
| 37      | 532152927 | Screw                            |
| 38      | 532124416 | Insert Cap Strg Wh Au            |
| 39      | 819133808 | Washer 13/32 X 2-3/8 X 8 Ga      |
| 40      | 532124701 | Lock nut                         |
| 41      | 532100711 | Adaptor Wheel Strg               |
| 42      | 532155092 | Boot Steering Shaft              |
| 43      | 532121749 | Washer 25/32 X 1 1/4 X 16 Ga     |
| 44      | 532153720 | Extension Steering Shaft LR/LT   |
| 46      | 532121232 | Cap Spindle Fr Top Blk           |
| 47      | 532124836 | Fitting Grease                   |
| 51      | 873800500 | Nut Lock Hex w/Ins 5/16-18       |
| 54      | 874780520 | Bolt Fin Hex 5/16-18 Unc x 1-1/4 |
| 62      | 532156594 | Kit, Steering Assembly Svc       |
| 63      | 874780616 | Bolt Fin Hex 3/8-16unc x 1 Gr. 5 |
| 65      | 532154780 | Spacer Axle                      |
| 66      | 532154404 | Bearing Arm Pittman              |
| 67      | 874781044 | Bolt, Fin Hex 5/8-11 UNC x 2-3/4 |
| 68      | 532154429 | Axle, Brace                      |


**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13

### SEAT ASSEMBLY



#### KEY PART NO. NO.

#### DESCRIPTION

|    |           |                                |
|----|-----------|--------------------------------|
| 1  | 532140838 | Seat                           |
| 2  | 532140551 | Bracket Pivot Seat 8 720       |
| 3  | 874760616 | Bolt Fin Hex 3/8-16unc X 1     |
| 4  | 819131610 | Washer 13/32 X 1 X 10 Ga       |
| 5  | 532145006 | Clip Push-In                   |
| 6  | 873800600 | Nut Hex w/Ins. 3/8-16 Unc      |
| 7  | 532124181 | Spring Seat Cprsn 2 250 Blk Zi |
| 8  | 817490616 | Screw Thdrol 3/8-16 X 1 Ty-tt  |
| 9  | 819131614 | Washer 13/32 X 1 X 14 Ga.      |
| 10 | 532155925 | Pan Seat                       |
| 12 | 532121246 | Bracket Mounting Switch        |
| 13 | 532121248 | Bushing Snap Blk Nyl 50 Id     |

#### KEY PART NO. NO.

#### DESCRIPTION

|    |           |                                          |
|----|-----------|------------------------------------------|
| 14 | 872050411 | Bolt Rdhd Sqnk 1/4-20x1-3/8              |
| 15 | 532134300 | Spacer Split 28x 96 Yel Zinc             |
| 16 | 532121250 | Spring Cprsn 1 27 Blk Pnt                |
| 17 | 532123976 | Nut Lock 1/4 Lge Flg Gr 5 Zinc           |
| 21 | 532153236 | Bolt Shoulder 5/16-18 Unc                |
| 22 | 873800500 | Nut Hex Lock W/Ins 5/16-18               |
| 23 | 874780814 | Bolt, Hex Head, Fin 1/2-13 x 7/8 Grade 5 |
| 24 | 819171912 | Washer 17/32 X 1-3/16 X 12 Ga.           |
| 25 | 532127018 | Bolt Shoulder 5/16-18 X 62               |
| 26 | 810040800 | Washer Lock                              |


**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13

### DECALS




| KEY NO. | PART NO.  | DESCRIPTION                   |
|---------|-----------|-------------------------------|
| 1       | 532157032 | Decal Oper. Step Thru Eng/Fr  |
| 2       | 532157007 | Decal Fender Auto Husq Radius |
| 3       | 532157195 | Decal Hood LH                 |
| 4       | 532157193 | Decal Hood RH                 |
| 5       | 532271967 | Decal HP Engine               |
| 8       | 532137259 | Decal Warning                 |
| 9       | 532150617 | Decal Fender Husq             |
| 10      | 532157140 | Decal Fender Danger Eng/Fr    |
| 14      | 532136832 | Decal V-Belt Schematic        |
| 20      | 532145005 | Decal Bat Dan/Psn             |
| --      | 532154515 | Pad Footrest LH STLT          |

| KEY NO. | PART NO.  | DESCRIPTION                    |
|---------|-----------|--------------------------------|
| --      | 532154516 | Pad Footrest RH STLT           |
| --      | 532138311 | Decal Handle Lft Height Adjust |
| --      | 532142341 | Decal Drawbar Cntrl Mvt Hyd    |
| --      | 532159138 | Manual Owner's (English)       |
| --      | 532159139 | Manual Owner's (French)        |

Available accessories not included with tractor:

|    |       |                         |
|----|-------|-------------------------|
| -- | MK380 | Mulcher Kit with Blades |
|----|-------|-------------------------|

### WHEELS & TIRES




| KEY NO. | PART NO.  | DESCRIPTION                       |
|---------|-----------|-----------------------------------|
| 1       | 532059192 | Cap Valve Tire                    |
| 2       | 532065139 | Stem Valve                        |
| 3       | 532106222 | Tire F Ts 15 X 6 0 - 6 Service    |
| 4       | 532059904 | Tube Front (Service Item Only)    |
| 5       | 532138336 | Rim Asm 6"front Silver Service    |
| 6       | 532124957 | Fitting Grease (Front Wheel Only) |
| 7       | 532124959 | Bearing Flange (Front Wheel Only) |
| 8       | 532138337 | Rim Asm 8"rear Silver Service     |
| 9       | 532124635 | Tire R Ts 18x8 5-8 C Service      |
| 10      | 532124926 | Tube Rear (Service Item Only)     |
| 11      | 532104757 | Cap Axle Blk 1 50 X 1 00          |
| --      | 532144334 | Sealant, Tire ( 10 oz. Tube)      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For Husqvarna Parts Call 606-678-9623 or 606-561-4983  
**REPAIR PARTS**

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**  
**ENGINE**



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
ENGINE


| KEY<br>NO. | PART<br>NO. | DESCRIPTION                                        |
|------------|-------------|----------------------------------------------------|
| 1          | 532140310   | Control Th/ch 23 5 LH Flag                         |
| 2          | 817720410   | Screw Hex Thd Cut 1/4-20x5/8 T                     |
| 3          | -----       | Engine, Briggs 289707                              |
| 4          | 532137348   | Muffler LT B&S 12/12.5/13HP                        |
| 13         | 532272293   | Gasket Eng 1 313 Id Tin Plated                     |
| 14         | 813280324   | Nipple Pipe 3/8 Npt X 3"                           |
| 15         | 813200300   | Elbow Std 90 Degree 3/8-18 Npt                     |
| 16         | 811050600   | Washer Lock Ext Tooth 3/8                          |
| 23         | 532156123   | Shield Heat                                        |
| 29         | 532137180   | Kit Spark Arrestor (Flat Scrn)                     |
| 31         | 532140280   | Tank Fuel Front 2 00                               |
| 32         | 532140527   | Cap Asm Fuel W/sym Vented                          |
| 33         | 532123487   | Clamp Hose Black                                   |
| 35         | 817490512   | Screw                                              |
| 37         | 532137040   | Line Fuel 20"                                      |
| 38         | -----       | Plug Oil Drain (Order From Engine<br>Manufacturer) |
| 40         | 532124028   | Bushing Snap Nyl Blk Fuel Line                     |
| 44         | 817490412   | Screw Hexwsh Thdrol 1/4-20x3/4                     |
| 46         | 819091416   | Washer 9/32 X 7/8 X 16 Ga                          |
| 62         | 810040500   | Washer Lock Hvy Hlcl Spr 5/16                      |
| 72         | 871070512   | Screw Hexhd Cap 5/16-18x 3/4                       |
| 78         | 817490620   | Screw Thdrol 3/8-16x1-1/4 TYTT                     |
| 81         | 532128861   | Nut Flange 1/4-20 Starter Nut                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## REPAIR PARTS

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**

## MOWER DECK



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**


### MOWER DECK

| KEY NO. | PART NO.  | DESCRIPTION                    | KEY NO. | PART NO.  | DESCRIPTION                                                                                 |
|---------|-----------|--------------------------------|---------|-----------|---------------------------------------------------------------------------------------------|
| 1       | 532142829 | Deck Asm Weldment              | 72      | 532131870 | Spring Return                                                                               |
| 2       | 872140506 | Bolt Rdhd Sqnk 5/16-18unc X3/4 | 73      | 532127847 | Arm Clutch Secondary                                                                        |
| 3       | 532138017 | Bracket Asm Fr Sway Bar 38/42  | 74      | 532121748 | Washer 25/32 X 1-5/8 X 16 Ga                                                                |
| 4       | 532138440 | Bracket Asm Deck Sway Bar      | 75      | 812000029 | Ring Klip #t5304-75                                                                         |
| 5       | 532124670 | Retainer Spring                | 76      | 532128903 | Bolt Shoulder 3/8-16 Unc 1 44                                                               |
| 6       | 532130832 | Arm Suspension Rear            | 77      | 532127845 | Keeper Spring 4 000                                                                         |
| 8       | 532850857 | Bolt 3/8 - 24 X 1.25 Gr 8      | 78      | 532154809 | Arm Asm Clutch Primary                                                                      |
| 9       | 810030600 | Washer Lock Hvy 3/8            | 79      | 532127498 | Bushing 747 Od X 794 Lg Brass                                                               |
| 10      | 532140296 | Washer Hard Blade Mower Vented | 80      | 532153701 | Spring Clutch Mower                                                                         |
| 11      | 532134148 | Blade Mower Mulching 38"       | 81      | 873350600 | Nut Hex Jam 3/8-16                                                                          |
| 12      | 532129895 | Bearing Ball #6024 (Mandrel)   | 82      | 532142028 | Trunnion Adj 94                                                                             |
| 13      | 532137645 | Shaft Asm W/lower Bearing      | 86      | 532125074 | Runner, LH                                                                                  |
| 14      | 532128774 | Housing Mandrel Vented         | 87      | 532128772 | Runner, RH                                                                                  |
| 15      | 532110485 | Bearing Ball Mandrel           | 88      | 819111216 | Washer 11/32 x 3/4 x 16 Ga.                                                                 |
| 16      | 532140329 | Stripper Mower Vented          | 89      | 819131612 | Washer 13/32 x 1 x 12 Ga.                                                                   |
| 19      | 532132827 | Bolt Shoulder                  | 92      | 873800600 | Nut Lock Hex W/Ins 3/8-16 Unc                                                               |
| 21      | 873680500 | Nut Crownlock 5/16-18 UNC      | 96      | 874930620 | Bolt 3/8-16 x 1-1/4 Mulcher                                                                 |
| 23      | 532137607 | Bracket Deflector Mower        | 97      | 873930600 | Nut Crownlock 3/8-16 UNC                                                                    |
| 24      | 532105304 | Cap Sleeve 80x 112 Blk Mower   | 98      | 819132016 | Washer 13/32 x 1-1/4 x 16 Ga.                                                               |
| 25      | 532123713 | Spring Torsion Deflector 2 52  | 99      | 810040600 | Washer Lock Hvy Hlcl Spr 3/8                                                                |
| 26      | 532110452 | Nut Push Phos & Oil            | 100     | 532135651 | Nut Wing                                                                                    |
| 27      | 532106736 | Shield Deflector               | 101     | 532132803 | Cover Asm Mulching 38"                                                                      |
| 28      | 819111016 | Washer 11/32 X 5/8 X 16 Ga     | 107     | 532133502 | Spacer, Retainer                                                                            |
| 29      | 532106735 | Rod Hinge                      | 108     | 532133503 | Stiffener, Idler Arm                                                                        |
| 30      | 532138776 | Screw Thdrol Hex Head Zinc Mwr | 109     | 874760640 | Bolt, Hex Head 3/8-16 x 2-1/2                                                               |
| 31      | 532129963 | Washer Spacer Mower Vented     | 110     | 532142587 | Upstop Deck Front 38"                                                                       |
| 32      | 532153532 | Pulley Mandrel                 | 113     | 817490512 | Screw Thdrol 5/16-18 X 3/4                                                                  |
| 33      | 532137266 | Nut 9/16 Toplock Flng Oil Dip  | 122     | 532131289 | Rod, Brake, LH                                                                              |
| 36      | 532131494 | Pulley Idler Flat 3 060        | 123     | 532131288 | Rod, Brake, RH                                                                              |
| 40      | 873680600 | Nut Crownlock 3/8-16 UNC       | 124     | 872110614 | Bolt, Carriage 3/8-16 x 1-3/4                                                               |
| 41      | 532133551 | Rod Pivot W/nibs               | 128     | 532153390 | Washer Felt                                                                                 |
| 43      | 532133504 | Rod Clutch Secondary           | 129     | 819131312 | Washer 13/32 x 13/16 x 12 Ga.                                                               |
| 45      | 532124788 | Spring Retainer 1" Zinc/cad    | 130     | 874780616 | Bolt, Fin Hex 3/8-16 UNC x 1 Gr. 5                                                          |
| 53      | 532130840 | Asm Brake                      | 131     | 872140608 | Bolt, Rdhd Sqnk 3/8-16 x 1                                                                  |
| 54      | 532133943 | Washer Hardened                | --      | 532130794 | Mandrel Asm Service (Includes Key Nos. 8-10, 12-15, 31 and 33)                              |
| 55      | 532133840 | Arm Idler                      | --      | 532142820 | Mower Deck Complete (Std. Deck - order separately mulcher plate components key nos. 96-101) |
| 56      | 532122052 | Spacer Retainer Pm Mower       |         |           |                                                                                             |
| 67      | 532106932 | Knob Rd 1/2-13 Plstc Thds Blk  |         |           |                                                                                             |
| 68      | 532144200 | V-Belt Mower                   |         |           |                                                                                             |
| 69      | 876020312 | Pin, Cotter 3/32 x 3/4         |         |           |                                                                                             |
| 71      | 532142427 | Rod Clutch Primary 38/42       |         |           |                                                                                             |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For Husqvarna Parts Call 606-678-9623 or 606-561-4983  
**REPAIR PARTS**

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
MOWER LIFT



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13  
MOWER LIFT

| KEY NO. | PART NO.  | DESCRIPTION                    |
|---------|-----------|--------------------------------|
| 1       | 532136973 | Wire Asm Inner W/plunger 17 32 |
| 2       | 532145117 | Shaft Asm Lift                 |
| 3       | 532105767 | Pin Groove                     |
| 4       | 812000002 | E Ring #5133-62                |
| 5       | 819211621 | Washer PLTD 21/32 X 1 X 21ga   |
| 6       | 532120183 | Bearing Nylon Blk 629 Id       |
| 7       | 532109413 | Grip Handle Bicycle            |
| 8       | 532124526 | Button Plunger Black           |
| 10      | 532122512 | Spring Cprsn 3 750 Oiled       |
| 11      | 532139865 | Link Lift LH                   |
| 12      | 532139866 | Link Lift RH                   |
| 13      | 532124670 | Retainer Spring                |
| 15      | 532127218 | Link Front                     |
| 16      | 873350800 | Nut Jam Hex 1/2-13 Unc         |
| 17      | 532130171 | Trunnion Blk Zinc              |
| 18      | 873800800 | Nut Lock W/wsh 1/2-13unc       |
| 19      | 532139868 | Arm Suspension Rear            |
| 20      | 532124660 | Spring, Retainer               |
| 31      | 532140302 | Bearing Pvt. Lift Spherical    |
| 32      | 873540600 | Nut Crownlock 3/8-24           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**  
**HYDRO TRANSAXLE - MODEL NUMBER 310-500**



# For Husqvarna Parts Call 606-678-9623 or 606-561-4983

## REPAIR PARTS

**TRACTOR - MODEL NO. LTH120 (954140013A), PRODUCT NO. 954 1400-13**  
**HYDRO TRANSAXLE - MODEL NUMBER 310-500**

| KEY PART<br>NO. NO. | DESCRIPTION                  | KEY PART<br>NO. NO. | DESCRIPTION               |
|---------------------|------------------------------|---------------------|---------------------------|
| 1 532142986         | Housing, Lower               | 40 532150778        | Locknut, Hex 5/16-24 UNJC |
| 2 532142987         | Assembly, Upper Housing      | 41 532142958        | Brake Rotor/Stator Kit    |
| 3 532142932         | Seal, Lip                    | 43 532142884        | Washer 7/16 x 7/8 x .060  |
| 4 532142928         | Ring, Wire Retaining         | 44 532142990        | Differential Assembly     |
| 5 532142933         | Ring, Retaining              | 52 532142991        | Washer 3/4 x 1.5 x .13    |
| 6 532142934         | Bearing, Shaft Ball          | 53 532142961        | Seal .75 x 1.25 x .250    |
| 7 532142935         | Bearing, Cradle              | 56 532142963        | Shaft, Input              |
| 8 532150771         | Bearing, Thrust 30 x 52 x 13 | 58 532142964        | Bolt 1/4-20 x 1.38        |
| 9 532142937         | Swashplate, Variable         | 59 532142965        | Pin .5 OD x .43 ID x .750 |
| 13 532142938        | Block, Cylinder Assembly     | 62 532142966        | Arm, Control              |
| 14 532142939        | Arm, Trunnion                | 63 532142967        | Puck, Dampener            |
| 15 532142940        | Seal, Lip                    | 64 532142920        | Set Screw                 |
| 17 532142941        | Guide, Slot                  | 68 532142969        | Spring                    |
| 18 532150772        | Shaft, Motor                 | 69 532144610        | Stud 5/16-24              |
| 19 532150773        | Bearing, Thrust 42 x 68 x 16 | 92 532142977        | Spring, Block             |
| 23 532142944        | Block, Cylinder Assembly     | 93 532142978        | Washer, Block Thrust      |
| 24 532142945        | Seal, Lip 10 x 25 x 7        | 98 532142993        | Sleeve Bearing            |
| 25 532142946        | Actuator, Bypass             | 99 532142976        | Seal, Wiper               |
| 26 532150774        | Center Section Assembly Kit  | 113 532142917       | Cap, Vent Assembly        |
| 27 532142948        | Seal, Lip 26 x 42 x 8        | 114 532142918       | Fitting, O-Ring Assembly  |
| 28 532142949        | Ring, Retaining              | 119 532142980       | Spacer                    |
| 29 532142950        | Washer 26 x 35 x 1           | 134 532144607       | Nut, Castle 5/16-24       |
| 30 532150787        | Nut, Jam                     | 135 532144608       | Pin, Cotter               |
| 34 532142951        | Oil Filter Element           | 139 532150775       | Spring, Compression       |
| 35 532142952        | Arm, Bypass                  | 140 532150776       | Nut, Hex 5/16-24          |
| 36 532142953        | Ring, Retaining              |                     |                           |
| 37 532142954        | Arm, Actuating               |                     |                           |
| 38 532142955        | Pin, Actuating               |                     |                           |
| 39 532150777        | Bolt 5/16-24 x 1-3/4         |                     |                           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm