
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
H60-75447N
Engine Parts List

ALLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY OEM.



www.mymowerparts.com

1 2 3 4	Part Number (1) 33311B 27652 27642 27876B 29536	Qty	Description Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore) Pin, Dowel Pipe plug, 1/4-18 Seal, Oil Blower Housing Baffle (Without electric starter knock out) (Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
7 8 9 10	650561 29538 650542 30799 29783 27884		Screw, 1/4-20 x 5/8" Base, Engine mounting Screw, 5/16-18 x 3/4" Crankshaft Pin, Crankshaft gear (Used on early p rod.) Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
13 13A 13A 13A 13A 14 15 15 16 17 18 19 20 21 22 22 23 24 25 26 27 28 29 30 31 33 34 35 36 37 38 39 40 41 42 42 42	34531 34532 34533 33312B 33313B 33314B 27888 34854 34855 34856 31380C 650662C 34034 33156 30622A 650128 650561 30063 30684 31303B 31546 28427 650488 650493 30699C 30700 650494 29642 31845 30588A 35479 29193 30591 31843A 650836 32783 32784 27878A 27880A 27880A		Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14) Piston & Pin Ass'y. (.010" OS) (Incl. 14) Piston & Pin Ass'y. (.020" OS) (Incl. 14) Ring, Piston pin retaining Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.010" OS) Rod Assy., Connecting (Incl. 17) Bolt, Connecting rod (Incl. 2 pieces) Lifter, Valve Camshaft Extension, Blower housing Screw, 10-24 x 1/2" Screw, 1/4-20 x 5/8" (Use as required ) Screw, 1/4-20 x 1/2" (Use as required ) Gasket Cylinder Cover Cover, Cylinder (Incl. 26 & 34) Bushing, Crankshaft Seal, Oil Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-3/4" Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor Screw, 6-40 x 5/16" Ring, Retaining Shaft, Mechanical governor Spool, Governor Washer, Flat Ring, Retaining Gear Assy., Governor Bracket, Governor gear Screw, 10-24 x 1/2" Intake Valve (Std.) Intake Valve (1/32" OS) Exhaust Valve (1/32" OS) Cap, Upper valve spring
44	27881		Spring, valve

## www.mymowerparts.com

		Qty	Description
45	32581		Cap, Lower valve spring
46	33876		Gasket, Stator
47	650489		Screw, 1/4-20 x 5/8"
48	34240		Ground Wire
49	30884		Key, Flywheel
50A	34171		Nipple, Oil drain, 1/4" x 5-1/2"
50	30969		Cap, Oil drain
51	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
	34251		Resistor Spark Plug (RJ-17LM)
	610118		Cover, Spark plug (Use as required)
	30939A		Cover Assy., Cylinder head
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	30322		Locknut, 8-32
	29916		Clamp, Governor lever (Use as require d)
	32326A		Lever, Governor
	29918		Washer, Lock, No. 8 E.T.
	30205		Bracket, Governor adjusting
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	31386		Spring, Extension
	30824		Link, Throttle
	33108A		Control Assy., Remote Speed (Incl. 64 & 72)
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128 35350		Screw, 10-24 x 1/2" Tube Breather
	29752		Nut & Lockwasher, 1/4-28
	27915A		* Gasket, Intake pipe to cylinder
	30195A		Flange, Carburetor (Incl. 81 & 86)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650572		Screw, 1/4-28 x 1-1/8"
	27272A		•
	30767		* Air Cleaner Gasket (Use as required) Spacer, Cleaner (Use as required)
	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
3 <del>4</del> A	34019		730561 assembly only)
			730301 assembly only)
101	34158		Bracket, Fuel tank
102	650665		Screw, 1/4-14 x 7/8"
103	34159		Plate, Fuel tank mounting
104	34186A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
			with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
10F	410144R		Fuel Cap (Milito Plastic)/Std \/As required
105	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)

## www.mymowerparts.com

	33032	•	Description  Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as required)
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
106 107 108 109 110 111 111D 111C 111E 112 113 114 115 116 117 118 119 137 143B 143A 143 144 145 146A 148A	650578 33323 33700 31297 29673 570629A		required)  Fuel Cap (Red plastic) (Use as requir ed)  Fuel Line (Braided, 8 1/4") (Use as r equired)  Fuel Line (Braided, 32") (Use as required)  Clamp, Fuel line (Use as required)  Blower Housing (For electric starter)  Screw, 5/16-24 x 21/32"  * Gasket, Exhaust flange  Muffler  Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)  Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)  Deflector, Exhaust (Optional)  Screw, 5/16-18 x 3/4"  Washer, Flat  Screw, 5/16 - 18 x 2"  Cup, Starter  Screen, Starter cup  Washer, Belleville  Nut, Hex  Screw, 1/4-28 x 7/16"  Knob, Speed control  Cover & tube, Muffler (Use as required)  Screen, Muffler (Use as required)  Screen, Muffler (Use as required)  Cover & Tube, Muffler (Use as required)  Dipstick (Incl. 146A)  * Gasket, Oil fill  Primer Assy.
151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 182 201A 201B	32180C 34581 31291 650764 650760 34126 650257 650765 28820 32398 650760 28545 34127 32576 33013 650760 32961 730164		Line, Primer Cover, Carburetor Plug, Cover Nut, "U" Clip Screw, 8-32 x 3/8" Bracket, Grommet mounting Screw, 8-32 x 5/16" Screw, 10-32 x 1/2" Screw, 10-32 x 1/2" Bracket, Choke Screw, 8-32 x 3/8" Grommet, Plastic Guard, Starter Seal, Snow Guard Cover, Starter bubble Screw, 8-32 x 3/8" Valve, Fuel shut off Muffler Adapter Kit (Incl.110,112)(As req.) Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully adjustable carburetor) Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &

## www.mymowerparts.com

Ref #	Part Number Qty	/ Description
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
	34346	Decal, Instruction
	34416	Decal, Instruction
	34144	Decal, Primer
	34414	Decal, Warning
	30548B	Condenser
	30547A	Breaker Assy (Used on Std. Point igni tion)
	631021	Inlet, Needle Seat & Clip Assy.
	611077	Alternator (Optional)
	650868	Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078	Connector, A.C. Lighting (Optional)
	611079	Connector, D.C. Charging (Optional)
	590610	Tube, Centering (Optional)
	590613	Alternator Shaft (Optional)
250	631927	Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 140 for breakdown)
251	610964A	Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
252	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)