
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\mathrm{Page}\ 1}$ of 8

Engine Parts List #1



www.mymowerparts.com

| Ref # | Part Number | Qty | Description |
|-------|-------------|-------------|--|
| | 32586C | | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore) |
| | 27652 | | Pin, Dowel |
| | 27642 | | Plug, Oil drain |
| | 32630 | | Seal, Oil |
| | | | · |
| | 32783 | | Intake Valve (Std.) (Incl. 9) |
| | 32784 | | Intake Valve (1/32" OS) (Incl. 9) |
| | 27878A | | Exhaust Valve (Std.) (Incl. 9) |
| | 27880A | | Exhaust Valve (1/32" OS) (Incl. 9) |
| 7A | 20810 | | Pin, Valve spring retainer (Use as re quired) |
| 7 | 27882 | | Cap, Upper valve spring |
| 8 | 27881 | | Spring, Valve |
| | 27881 | | Spring, Valve |
| | 32581 | | Cap, Lower valve spring |
| | 32581 | | Cap, Lower valve spring |
| | 32590 | | Plate, Lock & Oil dipper (This plate may be replaced by |
| 10A | 32390 | | |
| | | | 34242 oil dipper but 650662C screw must be used.) |
| 10 | 34242 | | Dipper, Oil |
| | 32587 | | Crankshaft (Incl. 12 & 13) |
| | 29783 | | Crankshaft Gear Pin (Early production) |
| | 27884 | | Gear, Crankshaft (Used in early production) This gear is |
| 13 | 27004 | | servicable onlywhen it is pinned to the crankshaft. |
| | | | servicable onlywhen it is pilined to the crankshalt. |
| 14 | 34517 | | Piston, Pin & Ring Set (Std.) (2-3/4" Bore) |
| 14 | 34518 | | Piston, Pin & Ring Set (.010" OS) |
| | 34519 | | Piston, Pin & Ring Set (.020" OS) |
| | 32592B | | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16) |
| | 32593B | | Piston & Pin Ass'y. (.010" OS) (Incl. 16) |
| | | | |
| | 32594B | | Piston & Pin Ass'y. (.020" OS) (Incl. 16) |
| | 32595 | | Ring Set (Std.) (2-3/4" Bore) |
| | 32596 | | Ring Set (.010" OS) |
| | 32597 | | Ring Set (.020" OS) |
| | 27888 | | Ring, Piston pin retaining |
| 17 | 32591C | | Rod Assy., Connecting (Incl. 10 & 18) |
| 18 | 650662C | | Screw, Connecting rod (2 each) |
| 21 | 32115 | | Camshaft (MCR) |
| 22 | 34034 | | Lifter, Valve |
| | 31303B | | Cover, Cylinder (Incl. 24, 106 & 279) |
| | 28427 | | Seal, Oil |
| | 31546 | | Bushing, Crankshaft (Use as required) |
| | 31297 | | • • • • |
| | 30684 | | Dipstick, Oil (Incl. 30) * Gasket Cylinder cover |
| | | | * Gasket, Cylinder cover |
| | 650488 | | Screw, 1/4-20 x 1-1/4" * Cooked Oil filler |
| | 29673 | | * Gasket, Oil filler |
| | 650489 | | Screw, 1/4-20 x 5/8" |
| | 32631A | | * Gasket, Cylinder head |
| | 30938A | | Head, Cylinder |
| 34 | 27793 | | Clip, Conduit (Use as required) |
| 35 | 28942 | | Screw, 10-32 x 3/8" (Use as required) |
| | 650697A | | Screw, 5/16-18 x 2-1/2" (Use as required) |
| | 650695A | | Screw, 5/16-18 x 2-1/4" (Use as requi red) |
| | 650694A | | Screw, 5/16-18 x 2" (Use as required) |
| | 33636 | | Resistor Spark Plug (RJ-8C) |
| | 34251 | | • |
| | | | Resistor Spark Plug * Cooleat Prooffer source |
| | 27896A | | * Gasket, Breather cover |
| | 28423 | | Body, Breather |
| | 28424 | | Element, Breather |
| | 28425 | | Cover, Valve spring |
| 42 | 26073 | | Washer (Use as required) |
| | WWW WWW | TT 7 | arnarta aam |

Washer (Use as required)
Www.mymowerparts.com

| | rt Number Qty | |
|---------|---------------|--|
| 42 650 | | Washer, Flat (Use as required) |
| 42A 650 | | Washer, Belleville (Use as required) |
| 43 650 | | Screw, 10-24 x 1/2" |
| 45 279 | | * Gasket, Intake |
| 46 301 | | Flange, Carburetor (Incl. 79 & 80) |
| 47 301 | 196 | Screw, 5/16-18 x 3/4" |
| 48 297 | | Screw, 1/4-28 x 7/16" |
| 50 650 | 0548 | Screw, 8-32 x 5/16" |
| 52 323 | 326A | Lever, Governor (New lever does not need 1 of |
| | | 51,66,132,164,165,207) |
| 55 302 | 205 | Product Adjusting |
| 56 317 | | Bracket, Adjusting Link, Throttle |
| | | · |
| 59 292 | | Nut, Lock, 10-32 |
| 60 650 | | Screw, 8-32 x 3/8" |
| 61 298 | | Screw, 10-32 x 3/4" |
| 62 296 | | Ring, Retaining |
| 63 306 | 099B | Governor Rod Ass'y. (This one-piece governor rodis no longer |
| | | used. It is replaced by 30699C ass'y.,Ref. no. 63A) |
| 63A 306 | 699C | Rod Assy., Governor (Incl. 64 & 65) |
| 64 307 | | Yoke, Governor |
| 65 650 | | Screw, 6-40 x 5/16" |
| 66 299 | | Lockwasher, #8 E.T. |
| 67 353 | | Tube, Breather |
| 69 297 | | Screw, 5/16-24 x 21/32" |
| 70 321 | | Blower Housing (For elec.star.)(Incl. 134,135) |
| 71 650 | | Washer, Belleville |
| 72 811 | | Nut, Hex |
| 73 295 | | Blower Housing Baffle (without electric starter knock-out) |
| 13 230 | 000 | (Use as required) |
| | | , |
| 73 352 | 256A | Blower Housing Baffle (with electric starter knock-out) (Use |
| | | as required) (Point Ignition) |
| 74 650 | 0561 | Screw, 1/4-20 x 5/8" |
| 75 316 | | * Gasket, Carburetor |
| 79 297 | | Nut & Lockwasher Assy., 1/4-28 |
| 80 650 | | Screw, 1/4-28 x 1-1/8" |
| 82A 730 | | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) |
| 02A 730 | 0104 | (Use as required) |
| | | (Ose as required) |
| 83 272 | 272A | * Gasket, Air cleaner |
| 87 319 | 914 | Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in |
| | | early production only. |
| 88 288 | 820 | Screw, 10-32 x 1/2" |
| 89 307 | | Element, Air cleaner |
| 90 317 | | · |
| | | Body, Air cleaner Ground Wire |
| 97 353 | | |
| 98 285 | | Spring, Compression |
| 99 295 | | Screw, 8-32 x 3/4" |
| 100 295 | | Base, Engine mounting |
| 103 391 | | Muffler |
| 106 318 | | Shaft, Mechanical governor |
| 107 305 | | Gear Assy., Governor (Incl. 109) |
| 108 305 | | Spool, Governor |
| 109 305 | | Washer, Flat |
| 110 291 | | Ring, Retaining |
| 113 650 | | Screw, 1/4-20 x 5/8" |
| 115 410 | U144B | Fuel Cap (White Plastic)(Std)(As requ ired) |

www.mymowerparts.com


| | | ety Description |
|-----|-----------------|---|
| 115 | 33032 | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required) |
| 115 | 34210 | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required) |
| 115 | 35355 | Fuel Cap (Use as required) |
| 118 | 29774 | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |
| 118 | 30705 | Fuel Line (Braided 16") (41 cm) (Use as req.) |
| 118 | 30962 | Fuel Line (Braided 32") (81 cm) (Use as req.) |
| 120 | 650128 | Screw, 10-24 x 1/2" (Use as required) |
| 121 | 30622A | Extension, Blower housing |
| 124 | 650542 | Screw, 5/16-18 x 3/4" |
| 127 | 26073 | Washer (Use as required) |
| 128 | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| 129 | 32589 | Key, Flywheel |
| 130 | 31843A | Bracket, Governor gear |
| 131 | 650836 | Screw, 10-24 x 1/2" |
| 133 | 650493 | Screw, 1/4-20 x 1-3/4" |
| 149 | 30747 | Clip, Shorting |
| 193 | 610118 | Cover, Spark plug (Use as required) |
| | 650561 | Screw, 1/4-20 x 5/8" (Use as required) |
| | 30939A | Cover, Cylinder head |
| | 650760 | Screw, 8-32 x 3/8" |
| | 28545 | Grommet |
| | 32125 | Cup, Starter |
| | 590417 | Screen, Starter cup |
| | 26460 | Clamp, Fuel line |
| | 31461 | Bushing, Crankshaft (Use as required) |
| | 31711B | Copntrol Bracket (Incl. 98, 99 & 274) |
| | 610973 | Terminal Ass'y. (As req. on late prod uction) |
| | 34043 | Spring, Control lever |
| | 27275 | Clip, Hi-tension wire (Use as require d) |
| | 34246 | Clip, Ground wire (Use as required) |
| | 31752 | Decal, Air cleaner |
| | 550223 | Decal, Name |
| | 34346 30547A | Decal, Instruction Contact Assy., Breaker |
| | 30548B | Condenser |
| | 631021 | Inlet Needle, Seat & Clip Assy. |
| | 631661 | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 |
| 330 | 031001 | for breakdown) |
| 337 | 610689A | Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown) |
| 338 | 590420 | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 343 | 33239A | Gasket Set (Incl. items marked*) |

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2




For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

| Ref # | Part Number Qty | Description |
|-------|-----------------|--|
| | 650489 | Screw, 1/4-20 x 5/8" |
| | 27793 | Clip, Conduit (Use as required) |
| 35 | 28942 | Screw, 10-32 x 3/8" (Use as required) |
| 43A | 650128 | Screw, 10-24 x 1/2" |
| 48 | 29716 | Screw, 1/4-28 x 7/16" |
| 56 | 31710 | Link, Throttle |
| 71 | 650815 | Washer, Belleville |
| 72 | 8116 | Nut, Hex |
| 98 | 28569 | Spring, Compression |
| | 29500 | Screw, 8-32 x 3/4" |
| | 610118 | Cover, Spark plug (Use as required) |
| | 650764 | Nut, "U" Type (Use as required) |
| | 610973 | Terminal Ass'y. (As req. on late prod uction) |
| | 550223 | Decal, Name |
| 338 | 590420 | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 340 | 33328D | Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica |
| 342 | 30811A | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) |
| 342 | 611042 | Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above) |
| 342 | 611085 | Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

| | | Qty Description |
|------|-----------------|---|
| | 27513 | Lockwasher, 1/4" (Use as required) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 650695A | Screw, 5/16-18 x 2-1/4" (Use as required) |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 27896A | * Gasket, Breather cover |
| | 26073 | Washer (Use as required) |
| | 650691 | Washer, Flat (Use as required) |
| | 650548 | Screw, 8-32 x 5/16" |
| | 30319 | Rivet, Split (Used in early production) |
| 52 | 32326A | Lever, Governor (New lever does not need 1 of |
| | | 51,66,132,164,165,207) |
| 55 | 30205 | Bracket, Adjusting |
| 57 | 730130 | Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) |
| | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| | 29216 | Nut, Lock, 10-32 |
| | 29826 | Screw, 10-32 x 3/4" |
| | 29918 | Lockwasher, #8 E.T. |
| 82 | 730127 | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & |
| | | 331B) (Use as required) |
| 82B | 730561 | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, |
| | | 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with |
| | | an externally vented fully adjustable carburetor) |
| 83 | 27272A | * Gasket, Air cleaner |
| | 34819 | Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use |
| 0.15 | 0.000 | in 730561 assembly only) |
| 00 | 20020 | • |
| | 28820 24745 | Screw, 10-32 x 1/2" |
| | 31715 391026 | Body, Air cleaner |
| | 650561 | Opt. Spark Arrest Muffler (Incl.196,1 97,199) Screw, 1/4-20 x 5/8" |
| | 29774 | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |
| | 30705 | Fuel Line (Braided 6-1/4-21 GH)(Ose as req.) |
| | 30962 | Fuel Line (Braided 32") (81 cm) (Use as req.) |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 650548 | Screw, 8-32 x 5/16" (Early production) |
| | 33356 | Terminal |
| | 34067 | Wire Assy., Alternator adapter (4-1/4 ") |
| | 34069 | Wire Assy., Alternator adapter (6-3/4 ") |
| | 31288 | Exh. Adaptor Kit (Incl.125,203,204) (As req.) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 6021A | Screw, 5/16-18 x 1-1/2" (Use as requi red) |
| | 650760 | Screw, 8-32 x 3/8" |
| | 28545 | Grommet |
| | 26460 | Clamp, Fuel line |
| | 31752 | Decal, Air cleaner |
| | | • |