
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130208C Page 1 of 8 Engine Parts List #1



| Dof # | Part Number       | <u>0</u> ۳/ | Description  |
|-------|-------------------|-------------|--|
|       | 32586C            | હાપ્ર       | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)                          |
|       | 27652             |             | Pin, Dowel   |
|       | 27642             |             | Plug, Oil drain  |
|       | 32630             |             | Seal, Oil  |
|       | 32783             |             | Intake Valve (Std.) (Incl. 9)  |
|       | 32783             |             | Intake Valve (1/32" OS) (Incl. 9)                                    |
|       | 27878A            |             |  |
|       | 27870A<br>27880A  |             | Exhaust Valve (Std.) (Incl. 9)<br>Exhaust Valve (1/32" OS) (Incl. 9) |
|       | 27882             |             | Cap, Upper valve spring  |
|       | 20810             |             | Pin, Valve spring retainer (Use as re quired)                        |
|       | 27881             |             | Spring, Valve  |
|       | 27881             |             | Spring, Valve  |
|       | 32581             |             | Cap, Lower valve spring  |
|       | 32581             |             | Cap, Lower valve spring  |
|       | 32590             |             | Plate, Lock & Oil dipper (This plate may be replaced by              |
| 104   | 32390             |             | 34242 oil dipper but 650662C screw must be used.)                    |
|       |                   |             | 34242 Oli dipper but 0000020 Screw must be used.)                    |
|       | 34242             |             | Dipper, Oil  |
|       | 32587             |             | Crankshaft (Incl. 12 & 13)   |
|       | 29783             |             | Crankshaft Gear Pin (Early production )                              |
| 13    | 27884             |             | Gear, Crankshaft (Used in early production) This gear is             |
|       |                   |             | servicable onlywhen it is pinned to the crankshaft.                  |
| 14    | 34517             |             | Piston, Pin & Ring Set (Std.) (2-3/4" Bore)                          |
|       | 34518             |             | Piston, Pin & Ring Set (.010" OS)                                    |
|       | 34519             |             | Piston, Pin & Ring Set (.020" OS)                                    |
|       | 32592B            |             | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)                         |
|       | 32593B            |             | Piston & Pin Ass'y. (.010" OS) (Incl. 16)                            |
|       | 32594B            |             | Piston & Pin Ass'y. (.020" OS) (Incl. 16)                            |
| 15    | 32595             |             | Ring Set (Std.) (2-3/4" Bore)  |
| 15    | 32596             |             | Ring Set (.010" OS)  |
| 15    | 32597             |             | Ring Set (.020" OS)  |
| 16    | 27888             |             | Ring, Piston pin retaining   |
| 17    | 32591C            |             | Rod Assy., Connecting (Incl. 10 & 18)                                |
|       | 650662C           |             | Screw, Connecting rod (2 each)                                       |
|       | 32115             |             | Camshaft (MCR)   |
| 22    | 34034             |             | Lifter, Valve  |
| 23    | 31303B            |             | Cover, Cylinder (Incl. 24, 106 & 279)                                |
| 24B   | 31546             |             | Bushing, Crankshaft (Use as required)                                |
| 24    | 28427             |             | Seal, Oil  |
|       | 31297             |             | Dipstick, Oil (Incl. 30)   |
|       | 30684             |             | * Gasket, Cylinder cover   |
|       | 650488            |             | Screw, 1/4-20 x 1-1/4"   |
|       | 29673             |             | * Gasket, Oil filler   |
|       | 650489            |             | Screw, 1/4-20 x 5/8"   |
|       | 32631A            |             | * Gasket, Cylinder head  |
|       | 30938A            |             | Head, Cylinder   |
|       | 27793             |             | Clip, Conduit (Use as required)                                      |
|       | 28942             |             | Screw, 10-32 x 3/8" (Use as required)                                |
|       | 650697A           |             | Screw, 5/16-18 x 2-1/2" (Use as required)                            |
|       | 650695A           |             | Screw, 5/16-18 x 2-1/4" (Use as required)                            |
|       | 650694A           |             | Screw, 5/16-18 x 2" (Use as required)                                |
|       | 33636             |             | Resistor Spark Plug (RJ-8C)  |
|       | 34251             |             | Resistor Spark Plug  |
|       | 27896A            |             | * Gasket, Breather cover   |
|       | 28423             |             | Body, Breather   |
|       | 28424             |             | Element, Breather  |
|       | 28425             |             | Cover, Valve spring  |
| 42    | 26073<br>WWW mVmC | 1117        | Washer (Use as required)   |
|       |                   | 1 1/1/      |  |

| D-1.11  | Dout Number | $\sim$     | Description  |
|---------|-------------|------------|--|
|         | Part Number | Qty        | Description  |
|         | 650691      |            | Washer, Flat (Use as required)                                 |
|         | 650690      |            | Washer, Belleville (Use as required)                           |
|         | 650128      |            | Screw, 10-24 x 1/2"  |
|         | 27915A      |            | * Gasket, Intake   |
|         | 30195A      |            | Flange, Carburetor (Incl. 79 & 80)                             |
|         | 30196       |            | Screw, 5/16-18 x 3/4"  |
| 48      | 29716       |            | Screw, 1/4-28 x 7/16"  |
| 50      | 650548      |            | Screw, 8-32 x 5/16"  |
| 52      | 32326A      |            | Lever, Governor (New lever does not need 1 of                  |
|         |             |            | 51,66,132,164,165,207)   |
| 55      | 30205       |            | Bracket, Adjusting   |
|         | 30824       |            | Link, Throttle   |
|         |             |            |  |
|         | 29216       |            | Nut, Lock, 10-32   |
|         | 29826       |            | Screw, 10-32 x 3/4"  |
|         | 29642       |            | Ring, Retaining  |
| 63      | 30699B      |            | Governor Rod Ass'y. (This one-piece governor rodis no longer   |
|         |             |            | used. It is replaced by 30699C ass'y.,Ref. no. 63A)            |
| 63A     | 30699C      |            | Rod Assy., Governor (Incl. 64 & 65)                            |
|         | 30700       |            | Yoke, Governor   |
| 65      | 650494      |            | Screw, 6-40 x 5/16"  |
|         | 29918       |            | Lockwasher, #8 E.T.  |
|         | 35350       |            | Tube, Breather   |
|         | 29747B      |            | Screw, 5/16-24 x 21/32"  |
|         | 32158E      |            | Blower Housing (For elec.star.)(Incl. 134,135)                 |
|         | 650815      |            | Washer, Belleville   |
|         | 8116        |            | Nut, Hex   |
|         | 29536       |            | Blower Housing Baffle (without electric starter knock-out)     |
| 15      | 23000       |            | (Use as required)  |
|         |             |            |  |
| 73      | 35256A      |            | Blower Housing Baffle (with electric starter knock-out) (Use   |
|         |             |            | as required) (Point Ignition)                                  |
| 74      | 650561      |            | Screw, 1/4-20 x 5/8"   |
|         | 31688A      |            | * Gasket, Carburetor   |
|         | 29752       |            | Nut & Lockwasher Assy., 1/4-28                                 |
|         | 650572      |            | Screw, 1/4-28 x 1-1/8"   |
|         | 730164      |            | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)      |
| <u></u> |             |            | (Use as required)  |
|         | 0.1101      |            |  |
|         | 34131       |            | Ground Wire  |
|         | 29538       |            | Base, Engine mounting  |
|         | 32401       |            | Muffler  |
|         | 31845       |            | Shaft, Mechanical governor                                     |
|         | 30591       |            | Gear Assy., Governor (Incl. 109)                               |
|         | 30588A      |            | Spool, Governor  |
|         | 30590A      |            | Washer, Flat   |
|         | 29193       |            | Ring, Retaining  |
|         | 650561      |            | Screw, 1/4-20 x 5/8"   |
|         | 33350       |            | Fuel Tank (Incl. 115 & 117A)                                   |
| 115     | 410144B     |            | Fuel Cap (White Plastic)(Std)(As requ ired)                    |
| 115     | 33032       |            | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)     |
|         |             |            | (Use as required)  |
| 115     | 34210       |            | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as |
| 110     | 01210       |            | required)  |
|         | 35355       |            | Fuel Cap (Use as required)                                     |
|         | 34159       |            | Plate, Fuel tank mounting                                      |
| 117     | 33395       |            | Fitting, Fuel strainer & elbow (Incl. 119)                     |
|         | www.mvmc    | <b>\\\</b> | arnarte com  |


|     |         | Description   |
|-----|---------|---|
|     | 29774   | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)                   |
| 118 | 30705   | Fuel Line (Braided 16") (41 cm) (Use as req.)                   |
| 118 | 30962   | Fuel Line (Braided 32") (81 cm) (Use as req.)                   |
| 119 | 33679   | Bushing, Fuel fitting   |
| 120 | 650128  | Screw, 10-24 x 1/2" (Use as required)                           |
| 121 | 30622A  | Extension, Blower housing                                       |
| 124 | 650542  | Screw, 5/16-18 x 3/4"   |
| 125 | 27930A  | Gasket, Exhaust   |
|     | 30196   | Screw, 5/16-18 x 3/4"   |
|     | 26073   | Washer (Use as required)  |
|     | 650694A | Screw, 5/16-18 x 2" (Use as required)                           |
|     | 32589   | Key, Flywheel   |
|     | 31843A  | Bracket, Governor gear  |
|     | 650836  | Screw, 10-24 x 1/2"   |
|     | 650493  | Screw, 1/4-20 x 1-3/4"  |
|     | 30747   | Clip, Shorting  |
|     | 610118  | Cover, Spark plug (Use as required)                             |
|     | 650561  | Screw, 1/4-20 x 5/8" (Use as required )                         |
|     | 30939A  | Cover, Cylinder head  |
|     | 34126   | Bracket, Grommet mounting                                       |
|     | 650760  | Screw, 8-32 x 3/8"  |
|     | 28545   | Grommet   |
|     | 32125   | Cup, Starter  |
|     | 590417  | Screen, Starter cup   |
|     | 26460   | •   |
|     | 31461   | Clamp, Fuel line  |
|     | 33876   | Bushing, Crankshaft (Use as required)                           |
|     |         | Gasket, Stator  |
|     | 610973  | Terminal Ass'y. (As req. on late prod uction)                   |
|     | 27275   | Clip, Hi-tension wire (Use as require d)                        |
|     | 34246   | Clip, Ground wire (Use as required)                             |
|     | 550223  | Decal, Name   |
|     | 34346   | Decal, Instruction  |
|     | 30547A  | Contact Assy., Breaker  |
|     | 30548B  | Condenser   |
|     | 631021  | Inlet Needle, Seat & Clip Assy.                                 |
| 336 | 631912  | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138 |
|     |         | for breakdown)  |
| 337 | 610689A | Magneto NOTE: The complete magneto is not available as          |
|     |         | an assembly. The magneto number is shown for reference          |
|     |         | purposes only. Order component parts individually, as show      |
|     |         | in parts list. (Refer to Division 5, Section B, page 24 for     |
|     |         | breakdown)  |
|     |         | ,   |
| 338 | 590473  | Rewind Starter (Refer to Division 5, Section C, page 29 for     |
|     |         | breakdown)  |
| 343 | 33239A  | Gasket Set (Incl. items marked*)                                |
| 010 |         |   |
|     |         |   |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130208C Page 5 of 8 Engine Parts List #2



|     |        | Description   |
|-----|--------|---|
|     | 650489 | Screw, 1/4-20 x 5/8"  |
|     | 27793  | Clip, Conduit (Use as required)   |
|     | 28942  | Screw, 10-32 x 3/8" (Use as required)   |
|     | 650128 | Screw, 10-24 x 1/2"   |
|     | 29716  | Screw, 1/4-28 x 7/16"   |
|     | 30824  | Link, Throttle  |
|     | 650815 | Washer, Belleville  |
|     | 8116   | Nut, Hex  |
|     | 610118 | Cover, Spark plug (Use as required)   |
|     | 33108A | Control Bracket (Incl. 224 & 274)   |
|     | 32410  | Knob, Speed control   |
|     | 30826  | Spring, Extension   |
|     | 650257 | Screw, 8-32 x 5/16"   |
|     | 34217  | Cover, Carburetor   |
|     | 32398  | Bracket, Choke  |
|     | 28820  | Screw, 10-32 x 1/2"   |
|     | 650760 | Screw, 8-32 x 3/8"  |
|     | 650765 | Screw, 10-32 x 1/2"   |
|     | 31291  | Plug, Cover   |
|     | 650764 | Nut, "U" Type (Use as required)   |
|     | 610973 | Terminal Ass'y. (As req. on late prod uction)   |
|     | 34132  | Plate, Choke indicator  |
|     | 34127  | Guard Starter   |
| 293 | 32576  | Seal, Snow guard  |
|     | 550223 | Decal, Name   |
|     | 34416  | Decal, Choke  |
|     | 34414  | Decal, Warning  |
| 338 | 590473 | Rewind Starter (Refer to Division 5, Section C, page 29 for   |
|     |        | breakdown)  |
| 340 | 33328D | Starter Motor Kit (110-120 Volt) This 110-120 volt starter<br>motor kit may have been added to this engine. It can be<br>added only if cylinder hasdrilled and tapped starter mounting<br>bosses and a ring gear flywheel (see#342). Refer to service<br>number stamped on end cap of motor, or on decal, for<br>identifica |
| 342 | 30811A | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)   |
| 342 | 611042 | Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)   |
| 342 | 611085 | Flywheel (Minimum ring gear flywheel required on engines<br>using 110-120 volt starter kits listed above) (Use withSolid<br>State ignition)   |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130208C Page 7 of 8 Engine Parts List #3



\_

| Dof # | Part Number |     | Description  |
|-------|-------------|-----|--|
|       | 27513       | QUY | Lockwasher, 1/4" (Use as required)                             |
|       | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as required)                      |
|       | 650695A     |     | Screw, 5/16-18 x 2-1/4" (Use as required)                      |
|       | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)                          |
|       | 27896A      |     | * Gasket, Breather cover                                       |
|       | 26073       |     | Washer (Use as required)                                       |
|       | 650691      |     | Washer, Flat (Use as required)                                 |
|       | 650548      |     | Screw, 8-32 x 5/16"  |
|       | 30319       |     | Rivet, Split (Used in early productio n)                       |
|       | 32326A      |     | Lever, Governor (New lever does not need 1 of                  |
| 52    | 52520A      |     | 51,66,132,164,165,207)   |
|       |             |     |  |
|       | 30205       |     | Bracket, Adjusting   |
|       | 730130      |     | Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)                    |
|       | 30196       |     | Screw, 5/16-18 x 3/4" (Use as require d)                       |
|       | 29216       |     | Nut, Lock, 10-32   |
|       | 29826       |     | Screw, 10-32 x 3/4"  |
|       | 29918       |     | Lockwasher, #8 E.T.  |
| 82B   | 730561      |     | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, |
|       |             |     | 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with      |
|       |             |     | an externally vented fully adjustable carburetor)              |
| 82    | 730127      |     | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &       |
|       |             |     | 331B) (Use as required)  |
| 84D   | 34819       |     | Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use    |
| 040   | 0-1013      |     | in 730561 assembly only) NOTE: 130010 thru 10C & 11            |
|       |             |     | used in early production only.                                 |
| 1005  | 224222      |     |  |
|       | 391026      |     | Opt. Spark Arrest Muffler (Incl.196,1 97,199)                  |
|       | 33353       |     | Bracket, Lower fuel tank                                       |
|       | 650561      |     | Screw, 1/4-20 x 5/8"   |
|       | 33352A      |     | Plate, Upper fuel tank mounting                                |
|       | 29774       |     | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)                  |
|       | 30705       |     | Fuel Line (Braided 16") (41 cm) (Use as req.)                  |
|       | 30962       |     | Fuel Line (Braided 32") (81 cm) (Use as req.)                  |
|       | 27930A      |     | Gasket, Exhaust  |
|       | 30196       |     | Screw, 5/16-18 x 3/4"  |
|       | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)                          |
|       | 650548      |     | Screw, 8-32 x 5/16" (Early production )                        |
|       | 792020      |     | Screw, 1/4-20 x 2-1/4"   |
|       | 34067       |     | Wire Assy., Alternator adapter (4-1/4 ")                       |
|       | 34069       |     | Wire Assy., Alternator adapter (6-3/4 ")                       |
|       | 31288       |     | Exh. Adaptor Kit (Incl.125,203,204) ( As req.)                 |
|       | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as required)                      |
|       | 6021A       |     | Screw, 5/16-18 x 1-1/2" (Use as required)                      |
|       | 650760      |     | Screw, 8-32 x 3/8"   |
|       | 28545       |     | Grommet  |
| 266   | 26460       |     | Clamp, Fuel line   |
|       |             |     |  |