
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130233G Engine Parts List #1



Ref #	Part Number	Qty Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
		•
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.) (Incl. 9)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
7A	20810	Pin, Valve spring retainer (Use as re quired)
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
	34242	Dipper, Oil
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
	32680A	Crankshaft (Incl. 12 & 13)
12	29783	Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (.010" OS)
	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
15	32596	Ring Set (.010" OS)
15	32597	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
17	32591C	Rod Assy., Connecting (Incl. 10 & 18)
18	650662C	Screw, Connecting rod (2 each)
	30968	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427	
		Seal, Oil Buching, Crankshoft (Lice as required)
	31546	Bushing, Crankshaft (Use as required)
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
32	32631A	* Gasket, Cylinder head
33	30938A	Head, Cylinder
34	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	• • • •
		Resistor Spark Plug
	27896A	* Gasket, Breather cover
39	28423	Body, Breather
	$\mathbf{W} \mathbf{W} \mathbf{W} \mathbf{W} \mathbf{H} \mathbf{H} \mathbf{V} \mathbf{H} \mathbf{H} \mathbf{O}$	werparts.com

	· · · · · · · · · · · · · · · · · · ·	Description	
	28424	Element, Breather	
41	28425	Cover, Valve spring	
42A	650690	Washer, Belleville (Use as required)	
42	26073	Washer (Use as required)	
	650691	Washer, Flat (Use as required)	
	650128	Screw, $10-24 \times 1/2''$	
	27915A	* Gasket, Intake	
	34712	Flange Carburetor	
	30196	Screw, 5/16-18 x 3/4"	
	29716		
		Screw, 1/4-28 x 7/16"	
	650548	Screw, 8-32 x 5/16"	
	33454	Lever Assy., Governor	
	34662	Link, Throttle	
	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4"	
	29642	Ring, Retaining	
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer	
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)	
634	30699C	Rod Assy., Governor (Incl. 64 & 65)	
	30700	Yoke, Governor	
	650494	Screw, 6-40 x 5/16"	
	29918	Lockwasher, #8 E.T.	
	35350	Tube, Breather	
	29747B	Screw, 5/16-24 x 21/32"	
	35260	Blower Housing (For electric starter)	
	650815	Washer, Belleville	
	8116	Nut, Hex	
73	29536	Blower Housing Baffle (without electric starter knock-out)	
		(Use as required)	
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use	
		as required) (Point Ignition)	
74	650561	Screw, 1/4-20 x 5/8"	
	31688A	* Gasket, Carburetor	
	650517	Screw, 1/4-20 x 27/32"	
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)	
024	730104	(Use as required)	
97	34240	Ground Wire	
98	31342	Spring, Compression	
99	650549	Screw, 5-40 x 7/16"	
100	29538	Base, Engine mounting	
	32401	Muffler	
	31845	Shaft, Mechanical governor	
	30591	Gear Assy., Governor (Incl. 109)	
	30588A	Spool, Governor	
	30590A	Washer, Flat	
	29193	Ring, Retaining	
	34158	Bracket, Fuel tank	
		Screw, 1/4-20 x 5/8"	
	650561 24186A	•	
114	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built	
		with different size fuel inlet openings. Tanks with the 1-3/16"	
		I.D. opening use fuel cap 33032 or 34210. Tanks with the	
		1-1/2" I.D. opening use fuel cap 35355 or 35650.	
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)	
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	
		(Use as required)	


Ref #	Part Number	Qty	Description
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
			. ,
	35355		Fuel Cap (Use as required)
116D	34159		Plate, Fuel tank mounting
117A	32961		Valve, Shut-off
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128		Screw, $10-24 \times 1/2$ " (Use as required)
	30622A		Extension, Blower housing
	650542		Screw, 5/16-18 x 3/4"
	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
	32589		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	650493		Screw, 1/4-20 x 1-3/4"
	30747		Clip, Shorting
	650665		Screw, 1/4-15 x 7/8"
	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required )
209	30939A		Cover, Cylinder head
219	34814		Primer Assy.
	32180C		Line, Primer
	34126		Bracket, Grommet mounting
	650760		Screw, 8-32 x 3/8"
	28545		
			Grommet
	32125		Cup, Starter
	590417		Screen, Starter cup
	26460		Clamp, Fuel line
270	31461		Bushing, Crankshaft (Use as required)
271	33876		Gasket, Stator
274	610973		Terminal Ass'y. (As req. on late prod uction)
287	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	550223		Decal, Name
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631920		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
			for breakdown)
700	6106044		Magnata (w/ring goar for 110 volt ato rtar) NOTE: The
	610694A		Magneto (w/ring gear for 110 volt starter) NOTE: The
			complete magneto is not available as an assembly. The
			magneto number is shown for reference purposes only.
			Order component parts individually, as show in parts list.
			(Refer to Division 5, Section B, page 24 for breakdown)
000	500472		Dowind Startor (Defer to Division E. Section O. norse 00 for
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
3/13	33239A		Gasket Set (Incl. items marked*)
0-10			

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130233G Engine Parts List #2



Ref #	Part Number Qty	Description
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
	34662	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	34663	Spring, Speed control
	650821	Screw, 10-32 x 1/2"
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	35438	Knob, Control
	32180C	Line, Primer
	30826	,
	650257	Spring, Extension Screw, 8-32 x 5/16"
	34672	
	32398	Cover, Carburetor
		Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650765	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650764	Nut, "U" Type (Use as required)
	34664	Control Bracket (Incl. 98, 99, 180A & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34127	Guard Starter
	32576	Seal, Snow guard
	34414	Decal, Warning
	34144	Decal, Primer
	34416	Decal, Choke
	550223	Decal, Name
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130233G Engine Parts List #3



		Description	
	27513	.ockwasher, 1/4" (	Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)	
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)	
36	650694A	Screw, 5/16-18 x 2" (Use as required)	
38	27896A	* Gasket, Breather cover	
42	26073	Vasher (Use as re	equired)
42	650691	Vasher, Flat (Use	
	650548	Screw, 8-32 x 5/16	
	30319		n early productio n)
	33454	ever Assy., Gover	
	730130		58 & 125) (Use as req.)
	30196		3/4" (Use as require d)
	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4	<u>"</u>
	29918	ockwasher, #8 E.	
	730561		. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020			D, 245 & 331B) (Use only on engines with
			d fully adjustable carburetor)
		-	
82	730127	•	(Incl. 60, 83, 87, 88, 89A, 90, 238 &
		31B) (Use as requ	uired)
84D	34819	Air Cleaner Elbow	(Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	0-1010		ly only) NOTE: 130010 thru 10C & 11
		ised in early produ	,
		ised in early produ	
103E	391026	Opt. Spark Arrest I	Nuffler (Incl.196,1 97,199)
113	650561	Screw, 1/4-20 x 5/8	8"
118	29774	Fuel Line (Braided	8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided	16") (41 cm) (Use as req.)
118	30962	uel Line (Braided	32") (81 cm) (Use as req.)
125	27930A	Gasket, Exhaust	
126	30196	Screw, 5/16-18 x 3	3/4"
128	650694A	Screw, 5/16-18 x 2" (Use as required)	
	650548	Screw, 8-32 x 5/16" (Early production )	
	34067	Wire Assy., Alternator adapter (4-1/4 ")	
	34069	Wire Assy., Alternator adapter (6-3/4 ")	
	30322		(Early Prod. Only)
	29916		ever (Early Prod. On ly)
	31288		ncl.125,203,204) ( As req.)
	650697A		2-1/2" (Use as required)
	6021A		-1/2" (Use as required)
	650760	Screw, 8-32 x 3/8"	
	28545	Grommet	
	20040 26460	Clamp, Fuel line	
' )(_')_		Tomp Live line	