
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 TVM140-70000K Engine Parts List #1 Page 1 of 6



www.mymowerparts.com


| Ref # Part Number Op Description 1 24813A Cylinder (Incl. 8, 11, 94 & 94A) (2-5.8°) 2 22277 Washer, Flat 3 30660 Rod. Governor 4 3157 Lever, Governor 5 3133 Clamp, Governor lever 6 6050540 Sarar, 8-32 × 5/16° 7 31561 Sarar, 6-18 8 26203 Balles, Baffle (WIE 3k Incol-out)(As req.) 9 35256A Balles, Baffle (WIE 3k Incol-out)(As req.) 10 650561 Sarar 11 27682 Ph. Dowel 12 34977 Cranshaft (Incl. 13 & 14) 13 27933 Pieton & Pin Assy. (Incl. 17) (100° CS) 14 27984 Gear, Cranshaft 15A3312B Piston, Pin Assy. (Incl. 17) (100° CS) 153 34532 Piston, Pin Assy. (Incl. 17) (100° CS) 154 34533 Piston, Pin Assy. (Incl. 17) (100° CS) 153 34532 Piston, Pin Assy. (Incl. 17) (100° CS) 154 S | | | | |
|---|----|-----------------------------|--------------|---|
| 2 22277 Washer, Flat 3 30660 Rod. Governor 4 31357 Lever, Governor 5 31353 Clamp, Governor lever 6 660548 Sorew, 632 x 5/16" 7 31361 Spring, Governor 8 2830 Seal, Ol 9 35556A Bolt-Isg Baffe (Wits Sknock-out)(As r eq.) 10 650561 Screw, 14-20 x 58" 11 27652 Pin, Dovel 12 24977 Carakshaft (Ind. 13 & 14) 13 327783 Pinto, Carakshaft 14 27684 Garc, Carakshaft 15A 333143 Pieton & Pin Assy. (Ind. 17) (25/8") (Sid.) 15A 333143 Pieton, Pin Assy. (Ind. 17) (100" OS) 15 34631 Pieton, Pin & Ring Sei (26/8") (Sid.) 15 34633 Pieton, Pin & Ring Sei (26/8") (Sid.) 16 34855 Ring Sei (26/8") (Sid.) 16 34856 Ring Sei (26/8") (Sid.) 17 27888 Ring Sei (26/8") (Sid.) 18 34855 Ring Sei (26/8") (Sid.) | | | Qty | |
| 3 30669 Rod. Governor 4 31357 Lever, Governor 5 31336 Clamp, Governor lever 6 666648 Sortew, 532, 45/16" 7 31361 Spring, Governor 8 32630 Seal, Oll 9 925556A Balfing, Blower housing (Use as required) 9 352556A Balfing, Blower housing (Use as required) 10 650561 Sorew, 14-20 x 56" 11 27652 Pri, Dowel 12 34977 Cranshaft (Ind. 13 & 14) 13 2783 Pictors Pin Assy, (Ind. 17) (1010" OS) 14 27844 Gear, Cranshaft 15A3312B Piston & Pin Assy, (Ind. 17) (102" OS) 15A3313B Piston, Pin Asing, Set (101" OS) 15A332 Piston, Pin & Ring Set (100" OS) 15 34532 Piston, Pin & Ring Set (100" OS) 16 34854 Ring Set (260" OS) 17 27888 Ring, Piston pin relaining 18 31390C Rod Asy, Connecting (Ind. 19) 19 666662 Ring Set (200" OS) 17 </th <th>1</th> <td>34913A</td> <td></td> <td>Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8")</td> | 1 | 34913A | | Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8") |
| 4 31357 Lever, Governor 5 31353 Clamp, Governor 8 32630 Sell, Oli 9 32536 Baffle, Blower housing (Use as required) 9 32536 Baffle, Blower housing (Use as required) 9 32536 Baffle, Blower housing (Use as required) 10 600561 Screw, V1420 X 56* 11 27652 Pin, Dowel 12 24877 Crankshaft (baf 13 & 14) 13 29783 Pin, Crankshaft (baf 13 & 14) 14 27894 Gear, Crankshaft 15A 33313B Piston & Pin Assy, (Ind. 177) (2567) (Std.) 15A 33314B Piston & Pin Assy, (Ind. 177) (2567) (Std.) 153 34531 Piston, Pin & Ring Set (0107 OS) 153 34532 Piston, Pin & Ring Set (0207 OS) 163 34855 Ring Set (2670) (Std.) 163 34851 Piston, Pin & Ring Set (0207 OS) 17 27888 Ring Set (0207 OS) 183 34851 Piston pin retaining 193300C Rod xy, Connecting Ind. 19) Rotoses) <t< th=""><th>2</th><td>28277</td><td></td><td>Washer, Flat</td></t<> | 2 | 28277 | | Washer, Flat |
| 5 31335 Clamp, Governor lever 7 31361 Spring, Governor 8 33530 Scale, Vol 9 22536 Baffe, Blower housing (Use as required) 9 32526A Bort Big 10 650561 Screw, 174-20, X58' 11 23652 Pri, Dowel 12 34677 Cankshaft (Incl. 13 & 14) 13 32783 Pin, Crankshaft gear 14 2784 Geag, Cankshaft 15A 33312B Piston & Pin Assy, (Incl. 17) (207 OS) 15A 33313B Piston, Pin & Ring Set (2007 OS) 153 34531 Piston, Pin & Ring Set (2007 OS) 153 34532 Piston, Pin & Ring Set (2007 OS) 16 34825 Ring Set (2007 OS) 16 34825 Ring Set (2007 OS) 16 34830 Ring Set (2007 OS) 17 27888 Ring Set (2007 OS) 18 31380C Rod Assy, Connecting off (Incl. 2) picces) 19 960662C Bott, Connecting off (Incl. 2) picces) 11 2114 Cambint (MCR) | 3 | 30669 | | Rod, Governor |
| 6 620549 Spring, Governor 8 32630 Spring, Governor 9 26363 Baffe, Blower housing (Lise as required) 9 32526A Blo Hsg Baffe (W/E Sknock-out)(As r eq.) 10 6509661 Screw, 1/4-20 x 5/8" 11 27682 Ph. Dowel 12 24877 Carakshaft (Incl. 13 & 14) 13 29783 Ph. Carakshaft 14 27894 Gear, Carakshaft 15A 33312B Piston & Pin Assy. (Incl. 17) (127 05") (Std.) 15A 33314B Piston & Pin Assy. (Incl. 17) (127 05) 15 34531 Piston, Pin & Ring Set (101" OS) 15 34532 Piston, Pin & Ring Set (100" OS) 16 34854 Ring Set (100" OS) 16 34854 Ring Set (100" OS) 17 27888 Ring Set (100" OS) 18 31390C Rod Assy. Connecting (Ind. 19) 19 660662C Bott, Connecting (Ind. 19) 20 3602A Lifter, Valve 21 3014 <th>4</th> <td>31357</td> <td></td> <td>Lever, Governor</td> | 4 | 31357 | | Lever, Governor |
| 7 31361 Sping, Governor 8 36360 Selet, Oli 9 35256A Balfle, Blower housing (Use as require d) 10 660061 Screw, 14-20, K56* 11 27652 Pin, Dowel 12 34877 Crankshat (Ind. 13, 8, 14) 13 27783 Pin, Crankshat (Ind. 17) (2.58*) (Std.) 14 26827 Crankshat (Ind. 17) (2.01° OS) 15A 3312B Piston & Pin Assy, (Ind. 17) (101° OS) 15A 3313B Piston, Pin & Ring Set (1.01° OS) 15A 3314B Piston, Pin & Ring Set (1.02° OS) 153 34531 Piston, Pin & Ring Set (1.02° OS) 153 34532 Piston, Pin & Ring Set (1.02° OS) 16 34855 Ring Set (1.02° OS) 16 34850 Ring Set (1.02° OS) 17 27888 Ring Set (1.02° OS) 18 31330C Rod Assy, Connecting of (Ind. 1.2) pieces) 19 960682C Botto Pin retaining 19 960682C Botto Pin Ressy, (Ind. 2.2) 303.133.182.8 +183) 23 360128 Screw, 1.02.4 × 1/2° | 5 | 31335 | | Clamp, Governor lever |
| 7 31361 Spring, Governor 8 36360 Selal, Oli 9 36256A Bolt By Baffe (WE Shork-out)(As r eq.) 10 650961 Screw, 14-20, K50* 11 27652 Ph, Dowel 12 34877 Crankshaft (Ind. 13, 8, 14) 13 207783 Ph, Crankshaft (Ind. 17), 2-56°) 14 27894 Gear, Crankshaft (Ind. 17), 2-56°) 15A 33312B Piston, & Pin Assy, (Ind. 17), (100° OS) 15A 33143E Piston, Pin & String Set (101° OS) 153 34531 Piston, Pin & Ring Set (102° OS) 153 34533 Piston, Pin & Ring Set (102° OS) 163 34856 Ring Set (101° OS) 163 34850 Ring Set (101° OS) 17 27888 Ring Set (101° CS) 183 31330C Rod Assy, Connecting rod (1.2, 2)eicces) 19 96068C2 Bolt Casson, Blower housing 23 650128 Screw, 10-24 x 1/2° 24 30688 Screw, 10-24 x 1/2° 25 31336 Pump Assy, Coli 23 306901 </th <th>6</th> <td>650548</td> <td></td> <td>Screw, 8-32 x 5/16"</td> | 6 | 650548 | | Screw, 8-32 x 5/16" |
| 8 32830 Seal. Oil 9 35256 Baffle, Blower housing (Use as required) 10 650561 Screw, 14-20, S0° 11 27652 Pin, Dawel 12 34877 Crankshaft (Pat, 13, 8, 14) 13 29783 Pin, Crankshaft gear 14 27684 Gear, Crankshaft gear 14 27684 Gear, Crankshaft gear 15 343312B Piston & Pin Assy, (Incl. 17) (102° OS) 15 34533 Piston & Pin Assy, (Incl. 17) (102° OS) 15 34533 Piston, Pin & Ring Set (010° OS) 16 34856 Ring Set (2567) (Sk1) 16 34856 Ring Set (101° OS) 17 27688 Ring, Piston, Pin & Ring Set (010° OS) 18 3430C Rod Say, Connecting (Incl. 19) 19 650662C Bolt, Connecting (Incl. 19) 19 650662C Bolt, Connecting (Incl. 19) 20 662A Externion, Blower housing 22 6622A Externion, Blower housing 23 66128 Screw, 10-24 x 12″ 24 30688 Screw, 10-24 x 12″ 25 31356 Pump Assy, Oil 27 30684 "Gasket, Grinder cover 23 31707A Governor 30 30590A Wab | 7 | 31361 | | Spring, Governor |
| 9 29536 Baffie, Blower housing (Use as required) 10 650561 Bio Hsg. Baffie (Mrcs. Sknock-out)(As r eq.) 11 27652 Pin, Dowel 12 34877 Crankshaft (Incl. 13 & 14) 13 29783 Pin, Crankshaft gear 14 2784 Gear. Crankshaft (Incl. 17) (2578") (Std.) 15A 33313B Piston & Pin Assy. (Incl. 77) (207 OS) 15A 33313B Piston & Pin Assy. (Incl. 77) (207 OS) 15 34531 Piston & Pin Assy. (Incl. 77) (207 OS) 16 34553 Piston, Pin & Ring Set (2548") (Std.) 16 34553 Piston, Pin & Ring Set (2548") (Std.) 16 34455 Ring Set (2548") (Std.) 16 34455 Ring Set (200" OS) 16 34455 Ring Set (200" OS) 17 27888 Ring, Set (200" OS) 18 31380C Rod Assy. Connecting (Incl. 19) 19 650652C Bolt, Connecting (Incl. 19) 19 650652C Bolt, Connecting (Incl. 2 pieces) 20 34034 Liller (Valve 21 304034 Liller (Valve 23 3052A Externation, Blower housing 23 30562A Strew, 14-20 x 1/2" | 8 | 32630 | | |
| 9 35256A Bio.Hsg.Baffle (W/E.Sknock-out)(As r eq.) 10 505661 Screw, 14-20, x 8° 11 27652 Crankshaft (incl. 13 & 14) 13 29783 Pin, Crankshaft gear 14 27894 Gear, Crankshaft gear 14 27894 Gear, Crankshaft gear 15 34312B Piston & Pin Assy, (incl. 17) (0.20° OS) 15 34531 Piston, Pin & Ring Set (0.10° OS) 15 34533 Piston, Pin & Ring Set (0.10° OS) 16 34854 Ring Set (0.10° OS) 16 34856 Ring Set (0.10° OS) 16 34856 Ring Set (0.10° OS) 17 27888 Ring Set (0.10° OS) 18 31390C Rod Assy, Connecting of (Incl. 19) 19 950662C Bott, Connecting rod (Incl. 29) 10 34054 Lifter, Vahe 21 32114 Camstaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 104-20 x 1/2° 24 30688 | 9 | 29536 | | |
| 10 650561 Screw, 1/4-20 x 5/8" 11 27652 Pin, Dowel 12 34977 Crankshaft (ncl. 13 & 14) 13 29783 Pin, Crankshaft (ncl. 13 & 14) 14 27684 Gear, Crankshaft 15A 33312B Piston & Pin Assy, (incl. 17) (25/6") (Std.) 15A 33313B Piston & Pin Assy, (incl. 17) (207 OS) 15A 34531 Piston, Pin & Ring Set (25/6") (Std.) 15 34532 Piston, Pin & Ring Set (202° OS) 16 34855 Ring Set (201° OS) 16 34855 Ring Set (201° OS) 16 34855 Ring Set (201° OS) 17 27888 Ring, Piston pin retaining 18 31380C Rod Assy, Connecting rod (incl. 19) 19 650662C Bolt, Connecting rod (incl. 2 pieces) 20 34034 Lilier, Valve 21 304034 Lilier, Valve 22 30622A Extension, Blower housing 23 31368 Screw, 14/20 x 112" 23 <t< th=""><th></th><td></td><td></td><td>3 1 1</td></t<> | | | | 3 1 1 |
| 11 27652 Pin, Dowel 12 34877 Crankshaft (pcl. 13 & 14) 13 27783 Pin, Crankshaft gear 14 27884 Gear, Crankshaft gear 15 35312B Piston & Pin Assy. (Incl. 17/(2-5/8") (Std.) 15 34531 Piston & Pin Assy. (Incl. 17/ (101° CS) 15 34531 Piston, Pin & Ring Set (2-5/8") (Std.) 15 34532 Piston, Pin & Ring Set (2-10° CS) 16 34854 Ring Set (2-10° CS) 16 34856 Ring Set (2-10° CS) 16 34856 Ring Set (2-10° CS) 17 27828 Ring, Piston pin retaining 18 31380C Rod Assy., Connecting (Incl. 19) 19 650652C Bolt. Connecting (Incl. 19) 21 32114 Camshaft (MCR) 22 30522A Extension, Blower housing 23 50128 Screw, 10-24 x 1/2* 24 30688 Screw, 10-24 x 1/2* 25 3136 Pump Assy., Oil 27 30684 "Gasket, Cylinder cover 28 31471C Flan | | | | |
| 12 24877 Crankshaft (Ind. 13 & 14) 13 2783 Pin. Crankshaft (gear 14 27834 Gear, Crankshaft 15A 33313B Piston & Pin Assy. (Incl. 17) (2-5/8") (Std.) 15A 33313B Piston & Pin Assy. (Incl. 17) (0.20" CS) 15 34531 Piston & Pin Assy. (Incl. 17) (0.20" CS) 15 34532 Piston Pin & Ring Set (2-5/8") (Std.) 15 34533 Piston Pin & Ring Set (0.20" CS) 16 34854 Ring Set (0.20" CS) 16 34856 Ring Set (0.20" CS) 17 27888 Ring Set (0.20" OS) 18 31380C Rod Assy. Connecting (Incl. 19) 19 850682C Bolt, Connecting (Incl. 2) Pieces) 21 32144 Camshaft (MCR) 22 30522A Extension, Blower housing 23 3566 Pump Assy., Oil 27 30584 "Gasket, Cylinder cover 23 3156 Pute Assy. (Incl. 29.30.31.31,312 & 183) 24 30591 Gasket, Cylinder cover 23 31677 Sask1, Mech. Governor | | | | |
| 13 29783 Pin, Crankshaft gear 14 27884 Gear Crankshaft 15A 33312B Piston & Pin Assy, (Incl. 17) (25/87) (Sid.) 15A 33314B Piston & Pin Assy, (Incl. 17) (100° OS) 15 34531 Piston & Pin Assy, (Incl. 17) (100° OS) 15 34531 Piston, Pin & Ring Set (26/87) (Sid.) 15 34532 Piston, Pin & Ring Set (26/87) (Sid.) 16 34854 Ring Set (26/87) (Sid.) 16 34856 Ring Set (26/87) (Sid.) 16 34856 Ring Set (26/87) (Sid.) 16 34856 Ring Set (26/87) (Sid.) 17 27888 Ring, Piston pin retaining 18 31330C Rod Assy, Connecting (Ind. 19) 19 956062C Boit, Connecting rod (Ind. 2 pieces) 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 56012B Screw, 10-24 x 1/2" 24 30688 Screw, 10-24 x 1/2" 25 31356 Pump Assy, Coli 27 30844 Gaaket, Opinder cover <t< th=""><th></th><td></td><td></td><td></td></t<> | | | | |
| 14 2784 Gear, Crankshafi 15A 33312B Piston & Pin Assy. (Incl. 17) (25/87) (Std.) 15A 33313B Piston & Pin Assy. (Incl. 17) (2010' OS) 15A 33314B Piston & Pin Assy. (Incl. 17) (120' OS) 153 4531 Piston, Pin & Ring Set (25/87) (Std.) 153 34532 Piston, Pin & Ring Set (010' OS) 163 34856 Ring Set (25/87) (Std.) 163 34856 Ring Set (020' OS) 163 34856 Ring Set (020' OS) 172788 Ring Set (020' OS) 183300C Rod Assy. Connecting (Ind. 19) 1960662C Bolt Connecting (Ind. 19) 203034 Lifter, Vave 213214 Camshaft (MCR) 2230662A Screw, 10-24 x 1/2' 23068B Screw, 10-24 x 1/2' 23326 Pump Assy., Coll 23336 Pump Assy., Coll 23356 Screw, 14-20 X 11/2' 243068B< | | | | |
| 15A 33312B Piston & Pin Assy. (Incl. 17) (107 OS) 15A 33314B Piston & Pin Assy. (Incl. 17) (107 OS) 15 34531 Piston, Pin & Ring Set (2563') (Std.) 15 34532 Piston, Pin & Ring Set (107 OS) 15 34533 Piston, Pin & Ring Set (100 'OS) 16 34856 Ring Set (100 'OS) 16 34856 Ring Set (100 'OS) 17 27888 Ring Set (100 'OS) 18 31300C Rod Assy., Connecting (Incl. 19) 19 650662C Bolt, Connecting rod (Incl. 2picces) 20 34034 Lifter, Valve 21 32114 Camshaft (WCR) 22 30622A Extension, Biower housing 23 360128 Screw, 1/4-20 × 1/2" 24 30668 Screw, 1/4-20 × 1/2" 25 31356 Pump Assy. (Ind. 23,03,13,182 & 183) 29 27642 Plug. Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oi 31 30668 Screw, 714-20 33 30500A Washer, Flat (2 required) 3471C Flanga | | | | |
| 15A 33313B Piston & Pin Ass'y. (Ind. 17) (.010" CS) 153 34531 Piston, Pin & Ring Set (25.0°) (Std.) 153 34532 Piston, Pin & Ring Set (.010" CS) 163 34533 Piston, Pin & Ring Set (.010" CS) 163 34854 Ring Set (.010" CS) 163 34855 Ring Set (.010" CS) 172788 Ring Set (.020" CS) 18330C Rod Assy, Connecting (Ind. 19) 1960062C Bolt, Connecting (Ind. 19) 1960062C Bolt, Connecting (Ind. 19) 230622A Extension, Blower housing 230622A Extension, Blower housing 230622A Extension, Blower housing 230638 Screw, 10-24 x 1/2" 2430688 Screw, 10-24 x 1/2" 2430688 Screw, 14-20 x 1/2" 2430684 "Gasket, Cylinder cover 231471C Flange Assy, (Ind. 23), 132, 182 & 183) 2927642 Plug, Pipe (sup, ch, 14-28) 3027897 Seal, Oil 3130668 Shaft, Mech, Governor 3130500A Washer, Flat (2 required) 314420 Strew, Flat (2 required) | | | | |
| 15A 33314B Piston & Pin Ass', (Incl. 17) (.020" OS) 15 34531 Piston, Pin & Ring Set (.010" OS) 15 34532 Piston, Pin & Ring Set (.020" OS) 16 34854 Ring Set (.020" OS) 16 34856 Ring Set (.020" OS) 17 27888 Ring Set (.010" OS) 18 31380C Rod Assy, Connecting (Incl. 19) 19 650662C Bolt, Connecting rod (Incl. 19) 20 34034 Lifter, Valve 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30668 Screw, 14-20 x 1/2" 25 31356 Pump Assy, (Incl. 90, 33, 33, 182 & 183) 29 27642 Plug, Pioc (And. 14/-28) 20 30530A Washer, Flat (2 required) 33 30590A Washer, Flat (2 required) 34 30681 Screen, Oi filter (Use as required) 33 30590A Washer, Flat (2 required) 34 30581 Screen, Oi filter (Use as required) 3 | | | | |
| 15 34531 Piston, Pin & Ring Set (2-5/8") (St). 15 34533 Piston, Pin & Ring Set (2-5/8") (St). 16 34854 Ring Set (2-5/8") (Std) 16 34855 Ring Set (2-5/8") (Std) 16 34856 Ring Set (2-5/8") (Std) 16 34856 Ring Set (2-5/8") (Std) 17 27888 Ring Set (2-5/8") (Std) 18 31380C Rod Assy, Connecting (nd. 19) 19 650662C Boit, Connecting rod (Incl. 2) pieces) 23 3034 Lifter, Valve 23 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 10-24 x 1/2" 25 31356 Purp Assy, Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy, (Incl. 29.30,3133,182 & 183) 29 27642 Plug, Pipc (sq.hd, 1/4-20) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy, (Incl. 33) 33 30591 | | | | |
| 15 34532 Piston, Pin & Ring Set (101° ČS) 15 34533 Piston, Pin & Ring Set (102° ČS) 16 34854 Ring Set (2-6/8°) (Std) 16 34856 Ring Set (2-6/8°) (Std) 16 34856 Ring Set (2-00° CS) 16 34856 Ring Set (2-00° CS) 17 27888 Ring, Piston pin retaining 18 31380C Rod Assy, Connecting rod (Incl. 2 pieces) 20 34034 Lifter, Valve 21 32114 Carnshaft (MCR) 22 306622 Screw, 10-24 x 1/2" 23 06523 Screw, 10-24 x 1/2" 24 30688 Screw, 10-24 x 1/2" 25 31356 Pump Assy, Oil 27 30684 * Gasket, Cylinder cover 28 3147/1C Flarge Assy, (Incl. 29,3),31,33,182 & 183) 29 27642 Plug, Pipe (s,1hd, 1/4-28) 30 30590A Washer, Flat (2 required) 34 30591 Gear Assy, Governor 32 31707A Governor 33 305930A Washer, Flat (2 required) | | | | |
| 16 34854 Piston, Pin & Ring Set (2020' OS) 16 34854 Ring Set (22-5/8') (Std.) 16 34855 Ring Set (2020' OS) 17 27888 Ring Set (2020' OS) 18 34856 Ring Set (2020' OS) 18 34856 Ring Set (2020' OS) 18 31380C Ring, Piston pin retaining 18 31380C Rod, Assy., Connecting (Incl. 19) 19 650662C Bolt, Connecting rod (Incl. 2 pieces) 23 3034 Lifter, Valve 23 3034 Lifter, Valve 23 650128 Screw, 10-24 x 1/2" 24 30683 Screw, 10-24 x 1/2" 25 31366 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27837 Seal, Oli 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30550A Walser, Flat (2 required) </th <th></th> <td></td> <td></td> <td>3 () ()</td> | | | | 3 () () |
| 16 34854 Ring Set (2-56°) (Std.) 16 34855 Ring Set (.020° OS) 17 27888 Ring, Piston pin retaining 18 31390C Rod Assy., Connecting (Incl. 19) 19 650662C Bolt, Connecting (Incl. 19) 20 34034 Lifter, Valve 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 1/4-20 x 1/2° 24 30688 Screw, 1/4-20 x 1/2° 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder over 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug. Pipe (sq. 1,4/-428) 30 27897 Seal, Oil 31 30668 Shaft, Mech, Governor 32 31707A Governor 33 30590A Washer, Flat (2 required) 34 3051 Gear Assy., Governor 35 Screen, Oil filter (Use as required) 36 30588A Spool, Governor 37 < | | | | • |
| 16 34855 Ring Set (010^{-1} CS) 17 27888 Ring, Piston pin retaining 18 31380C Rod Assy., Connecting (Incl. 19) 19 650662C Bolt, Connecting rod (Incl. 2 pieces) 21 32114 Camshaft (MCR) 22 30622A Extension. Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 14/20 x 1/2" 25 31366 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy., (Incl. 29,30,31,33,182 & 183) 29 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30555 Screw, 0.11 (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 11/42" CS) (Incl. 44) | | | | • |
| 16 34856 Ring, Set (.020" OS) 17 27838 Ring, Piston pin retaining 18 31300C Rod Assy., Connecting (Incl. 19) 19 650662C Bolt, Connecting rod (Incl. 2 pieces) 20 34034 Lifter, Valve 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30684 "Gasket, Cylinder cover 28 31471C Plange Assy., (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.th, 1/4-28) 30 27897 Seal, Oli 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30594 Screw, 8/32 x 516" (Use as required) 38 29177 Screw, 8/32 x 516" (Use as required) 38 29171 Screw, 8/32 x 516" (Use as required) 39 6 | | | | |
| 17 27888 Ring, Piston pin retaining 18 31380C Rod Assy., Connecting (Incl. 19) 19 650662C Bolt, Connecting rod (Incl. 2 pieces) 20 34034 Lifter, Valve 21 32114 Camshaft (MCR) 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 14-20 x 1/2" 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flage Assy. (Incl. 20, 30, 31, 33, 182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30688 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spcol, Governor 37 31355 Screw, 1/2/2 required) 38 29117 Screw, 8-32 x 516" (Use as required) 38 29117 Screw, 8-32 x 516" (Use | | | | |
| 18 31380C Rof Assy., Connecting (Incl. 19) 19 650632C Bolt, Connecting rod (Incl. 2 pieces) 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 10-24 x 1/2" 25 31356 Pump Assy., Oil 27 30684 Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sp.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Govemor 32 31707A Govemor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Govemor 35 29193 Ring, Retaining 36 30588A Spool, Govemor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 38 29117 Screw, 8 | | | | • |
| 19 650862C Bolt, Connecting rod (incl. 2 pieces) 20 34034 Lifter, Valve 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 104-20 x 1/2" 24 30688 Screw, 104-20 x 1/2" 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy. Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oi Filter (Use as required) 38 29117 Screw, 1/4-20 X 1-1/4" 40 32784 Intake Valve (Std.) (Incl. 44) 41 27881 Cap, Upper valve spring | | | | |
| 20 34034 Lifter, Valve 21 32114 Carnshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30683 Screw, 10-24 x 1/2" 25 31356 Pump Assy, Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29, 30, 31, 33, 182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30688 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy. Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (1/32" OS) (Incl. 44) 41 2780A Exhaust Valve (1/32" OS) (Incl. 44) 42 27881 Cap, Upper valve spring 43 32781 Cap, Upper valve spring | | | | |
| 21 32114 Camshaft (MCR) 22 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 1/4-20 x 1/2" 25 31356 Pump Assy., Oil 27 30684 " Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 20511 Screw, 8-32 x 5/16" (Use as required) 38 20117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27880A | | | | • • • • |
| 22 30622A Extension, Blower housing 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 10-20 x 1/2" 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Gotvernor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screw, 1/4-20 x 1-1/4" 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27833 Intake Valve (Std) (Incl. 44) 41 27881 Spring, Valve 43 32811 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Upper valve spring | | | | |
| 23 650128 Screw, 10-24 x 1/2" 24 30688 Screw, 1/4-20 x 1/2" 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screw, 8-32 x 5/16" (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 38 29117 Screw, 1/4-20 x 1-1/4" 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27880 Exhaust Valve (Std.) (Incl. 44) 41 27880 Exhaust Valve (Std.) (Incl. 44) 42 27881 Spring, Valve 43 27881 Spr | | | | |
| 24 30688 Screw, 1/4-20 x 1/2" 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30551 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 41 27873 Intake Valve (Std.) (Incl. 44) 41 27881 Spring, Valve 43 27881 Cap, Upper valve spring | | | | |
| 25 31356 Pump Assy., Oil 27 30684 * Gasket, Cylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (1/32" OS) (Incl. 44) 41 27884 Intake Valve (1/32" OS) (Incl. 44) 42 27881 Cap, Upper valve spring 43 32581 Cap, Lower valve spring 43 32581 Cap, Lower valve spring 44 32581 Cap, Lower valve spring 43 2589 | | | | |
| 27 30684 * Gasket, Čylinder cover 28 31471C Flange Assy. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Govemor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 41 2787A Exhaust Valve (Std.) (Incl. 44) 41 27881 Spring, Valve 42 27882 Cap, Upper valve spring 43 32589 Key, Flywheel 44 32581 Cap, Lower valve spring 43 32589 Key, Flywheel 44 32581 Cap, Lower valve sprin | | | | |
| 28 31471C Flange Ass ⁵ y. (Incl. 29,30,31,33,182 & 183) 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Govemor 32 31707A Govemor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Govemor 35 29193 Ring, Retaining 36 30588A Spool, Govemor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27881 Cap, Upper valve spring 43 25281 Cap, Lower valve spring 43 2589 Key, Flywheel 44 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, | | | | |
| 29 27642 Plug, Pipe (sq.hd, 1/4-28) 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (1/32" OS) (Incl. 44) 41 27878A Exhaust Valve (1/32" OS) (Incl. 44) 41 2788A Explause valve spring 43 2781 Spring, Valve 44 32581 Cap, Lower valve spring 43 2581 Cap, Lower valve spring 44 32581 Cap, Lower valve spring 45 50315 Washer, Fleleville 48 650815 Washer, | | | | |
| 30 27897 Seal, Oil 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (Std.) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 42 27881 Cap, Upper valve spring 43 27881 Cap, Lower valve spring 43 32589 Key, Flywheel 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head < | | | | |
| 31 30668 Shaft, Mech. Governor 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27881 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 32 31707A Governor Spacer Assy. (Incl. 33) 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 41 27873 Intake Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28338B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) </th <th></th> <td></td> <td></td> <td></td> | | | | |
| 33 30590A Washer, Flat (2 required) 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 2788A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27881 Cap, Upper valve spring 43 27881 Cap, Lower valve spring 43 32589 Key, Flywheel 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 34 30591 Gear Assy., Governor 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | • • • • |
| 35 29193 Ring, Retaining 36 30588A Spool, Governor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 2781 Spring, Valve 44 32581 Cap, Lower valve spring 43 2581 Cap, Lower valve spring 44 32581 Washer, Belleville 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 36 30588A Spool, Govemor 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (Std.) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 2781 Spring, Valve 43 32581 Cap, Lower valve spring 43 27881 Spring, Valve 44 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | - |
| 37 31355 Screen, Oil filter (Use as required) 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (Std.) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 38 29117 Screw, 8-32 x 5/16" (Use as required) 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 42 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | • |
| 39 650488 Screw, 1/4-20 x 1-1/4" 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 40 32783 Intake Valve (Std.) (Incl. 44) 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (Std.) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 40 32784 Intake Valve (1/32" OS) (Incl. 44) 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 41 27878A Exhaust Valve (Std.) (Incl. 44) 41 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 41 27880A Exhaust Valve (1/32" OS) (Incl. 44) 42 27882 Cap, Upper valve spring 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 4227882Cap, Upper valve spring4327881Spring, Valve4432581Cap, Lower valve spring4732589Key, Flywheel48650815Washer, Belleville498116Nut, Washer, 1/2-205028938B* Gasket, Head5130938AHead, Cylinder (Incl. 54) | | | | |
| 43 27881 Spring, Valve 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 44 32581 Cap, Lower valve spring 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 47 32589 Key, Flywheel 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 48 650815 Washer, Belleville 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 49 8116 Nut, Washer, 1/2-20 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 50 28938B * Gasket, Head 51 30938A Head, Cylinder (Incl. 54) | | | | |
| 51 30938A Head, Cylinder (Incl. 54) | | | | |
| | | | | |
| | 51 | | XX 74 | |
| | | <u>vv vv vv .111 y 1110</u> | • • • • • | |

| | Part Number C | Oty Description |
|-----|--------------------|---|
| | 33636 | Resistor Spark Plug (RJ-8) |
| | 34251 | Resistor Spark Plug (RJ-17LM) |
| | 30939A | Cover Assy., Cylinder head |
| | 26073 | Washer, Flat (Use as required) |
| | 650690 | |
| | 650691 | Washer, Belleville (Use as required) |
| | | Washer, Flat (Use as required) |
| | 650694A 650697A | Screw, 5/16-18 x 2" (Use as required) |
| | | Screw, 5/16-18 x 2-1/2" (Use as required) |
| | 27896 | * Gasket, Breather cover |
| | 28423 | Body, Breather |
| | 28424 | Element, Breather |
| | 28425 | Cover, Valve spring box |
| | 27627 | Tube, Breather |
| | 650128 | Screw, 10-24 x 1/2" |
| | 26756 | * Gasket, Carburetor |
| | 32632 | Pipe, Intake |
| | 27272 | * Gasket, Air cleaner |
| | 31691 | Bracket, Air cleaner |
| | 28820 | Screw, 10-32 x 1/2" |
| | 30727 | Element, Air cleaner |
| | 31715 | Body, Air cleaner |
| | 650152 | Screw, 8-32 x 3/8" |
| | 27915 | * Gasket, Intake to cylinder |
| 72 | 650378 | Screw, 5/16-18 x 1-1/8" |
| | 31823 | Link, Throttle |
| 74 | 32582 | Link, Governor spring |
| 75 | 32181A | Control Assy., Speed (Incl. 76, 77 & 78) |
| 76 | 31342 | Spring, Compression |
| 77 | 650549 | Screw, 5-40 x 7/16" |
| 78 | 610973 | Terminal Ass'y. (Use as required) |
| 79 | 30200 | Screw, 10-24 x 9/16" |
| 80 | 32629B | Blower Housing (Incl. 121 & 122)(Elec . Str.) |
| 81 | 29747B | Screw, 5/16-24 x 21/32" |
| 82 | 27930 | * Gasket, Exhaust |
| 83 | 28269 | Muffler |
| 84 | 31588 | Plate, Muffler locking |
| | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| | 650696 | Screw, 5/16-18 x 2-3/4" (Use as required) |
| 85 | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| 86 | 32125 | Cup, Starter |
| 87 | 35009 | Screen, Starter |
| 88 | 29716 | Screw, 1/4-28 x 7/16" |
| 89 | 32584 | Fuel Tank (Incl. 90) |
| 90 | 33032 | Fuel Cap (Use as required) |
| 90 | 34210 | Fuel Cap (Use as required) |
| 91 | 29774 | Fuel Line (8-1/4") (Use as required) |
| 91 | 30962 | Fuel Line (32") (Use as required) |
| | 27793 | Clip, Conduit |
| | 28942 | Screw, 10-32 x 3/8" |
| | 34165 | Dipstick (Incl. 95A) |
| | 29673 | * Ġasket, Oil fill |
| | 6201 | Screw, 1/4-28 x 7/8" (Use as required) |
| | 650372 | Screw, 1/4-20 x 13/16" (Use as required) |
| | 34235 | Ground Wire |
| | 33549 | Clamp, Tank hold down |
| | 33323 | Screen, Muffler (Use as required) |
| | 27276 | Cover, Spark plug (Use as required) |
| | 610118 | Cover, Spark plug (Use as required) |
| 120 | | |

www.mymowerparts.com

| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|--|
| 133B | 730127 | | A/C Assy. (Incl.65,66,67,68A,69,70,13 4) |
| 154A | 550223 | | Decal, Name |
| 154 | 34346 | | Decal, Instruction |
| 157 | 631021 | | Inlet Needle, Seat & Clip Assy. |
| 158 | 632233 | | Carburetor (Incl. 62) (Refer to Division 5, Section A, page 182 for breakdown) |
| 160 | 590420 | | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 164 | 33234A | | * Gasket Set (Incl. items marked *) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 TVM140-70000K Engine Parts List #2



www.mymowerparts.com

| Ref # | Part Number Qt | y Description |
|-------|----------------|--|
| | 33876 | Gasket, Stator |
| | 650489 | Screw, 1/4-20 x 5/8" |
| | 26073 | Washer, Flat (Use as required) |
| | 650690 | Washer, Belleville (Use as required) |
| | 29747B | Screw, 5/16-24 x 21/32" |
| | 27930 | * Gasket, Exhaust |
| 83C | 391026 | Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan be used on any model) |
| 85 | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| 85 | 650696 | Screw, 5/16-18 x 2-3/4" (Use as required) |
| 85 | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| 91 | 29774 | Fuel Line (8-1/4") (Use as required) |
| 91 | 30962 | Fuel Line (32") (Use as required) |
| | 26460 | Clamp, Fuel line (Use as required) |
| | 33323 | Screen, Muffler (Use as required) |
| | 33700 | Cover & tube, Muffler (Use as require d) |
| | 650578 | Screw, 8-18 x 3/8" (Use as required) |
| | 730130 | Muffler Adap. Kit (Incl.82 & 85)(As r eq.) |
| | 31288 | Muffler Adapter Kit (Incl.82 & 85)(As req.) |
| | 30547A | Contact Assy., Breaker |
| | 30548B | Condenser |
| 159 | 611038 | Magneto NOTE: The complete magneto is not available as |
| | | an assembly. The magneto number is shown for reference |
| | | purposes only. Order component parts individually as shown |
| | | in parts list. (Refer to Division 5, Section B, page 39 for |
| | | breakdown) |
| 162 | 33329D | Starter Motor Kit (110-120 volt) (Refer to service number |
| | | stamped on end cap of motor, or on decal, for identification. |
| | | For breakdown see Division 5, Section D, Page 16.) |
| 163 | 611042 | Flywheel (Ring gear flywheel requiredon engines using |
| 100 | 0110-12 | 110-120 volt starter motor kits listed above) (Use on Std. |
| | | point ignitions) |
| | | |
| 163 | 611085 | Flywheel (Ring gear flywheel requiredon engines using |
| | | 110-120 volt starter motor kits listed above) (Use on solid |
| | | state ignitions) |

www.mymowerparts.com